



Govt. Of Arunachal Pradesh
Directorate Of Health Services
Naharlagun

No. MSUP-9/2019-20

Dated, Naharlagun the 19th Jan'2021.

To,

1. The Director Family Welfare,
Govt. of Arunachal Pradesh, Naharlagun
2. The Chief Medical Superintendent, TRIHMS, Naharlagun
3. The Director Medical Education
Govt. of Arunachal Pradesh, Naharlagun
4. The Mission Director NHM
Govt. of Arunachal Pradesh, Naharlagun
5. The Jt. Director (T&R)
Bakin Pertin General Hospital, Pasighat
6. All The District Medical Officer(s) Viz:-
Siang/ Kra-Dadi/ Koloraing/ Roing/Yingkliong/ Pasighat/ Ziro/ Khonsa/ Aalo/ Seppa/Tawang/ Anini/ Daporijo/
Changlang / Longding/ Yupia/ Bomdila/Tezu/ Anjaw/Namsai /Lower Siang (Likabali)/ Kamle (Raga/Pakke-
Kessang(Lemi)/Shi-yomi / Leparada (Easar) and Itanagar Capital Complex.

Sub:- Regarding furnishing of Essential Drugs List (EDL) for Procurement during the C.F.Y-2020-21.

Please find herewith an enclosed copy of facilities wise Essential Drugs List (EDL) for procurement during the C.F.Y 2020-21, approved vide order No- MSUP-1,2019-20, Dated 28th November'2019 and No. MSUP-9/2019-20, Dated- Naharlagun the 19th January'2021.

1. Annexure-I List of Essential Drugs required for Sub. Centre.
2. Annexure-II List of Essential Drugs required for C.H.C
3. Annexure-III- List of Essential Drugs required for P.H.C.
4. Annexure- IV List of Essential Drugs required for District Hospital.
5. Annexure - V- List of Essential Drugs required for General Hospital/ TRIHMS.


SD/-(Dr. M. Lego)
Director of Health Services
Govt. of Arunachal Pradesh
Naharlagun

Memo No- MSUP-9/2019-20

Dated, Naharlagun , the ----- January' 2021.

Copy to :-

1. The SPA to Secretary (H&FW) Govt. of A.P, Itanagar for kind information please.
2. The P.S to the Director of Health Services, Govt. of A.P, Naharlagun for kind information please.
3. The Additional Director of Health Services, Govt. of Arunachal Pradesh, Naharlagun for kind information please.
4. The Jt. DHS (P&D) Directorate of Health Services, Govt. of Arunachal Pradesh for Kind information please.
5. Nodal Officer (Procurement) NHM, Health & Family Welfare, Naharlagun for kind information please
6. The DDHS (CMS-Supply), Directorate of Health Services, Govt. of Arunachal Pradesh for kind information please.
7. Office Copy.


(Dr. Marbom Basar) DDHS (S&T)
Directorate of Health Services
Govt. of Arunachal Pradesh
Directorate of Health Services
Govt. of Arunachal Pradesh
Naharlagun


DDHS (S&T)
Directorate of Health Services
Govt. of Arunachal Pradesh
Naharlagun

ANNEXURE –I

Essential Drugs List required for Sub Health Center for the F.Y 2020-21 (approved vide order No. MSUP-1/2019-20, Dated,28th Nov/2019 and No.msup-9/2019-20, Dated-Naharlagun the 19th january'2021)

| Sl No | Name of Medicine | Unit |
|-------|----------------------------------------------------------------------------------------------------------------|--------|
| 1 | Albendazole (Tab) : 400 mg | 1's |
| 2 | Al(OH)3-300mg, Al Slicate50mg, Mg(OH)25mg, Simethicone-25mg (Tab) (Antacid) | 9's |
| 3 | Al(OH)3-830mg/10ml, Mg(OH)185mg, Simethicone-50mg, Na Carboxymethylcellulose-100mg-170ml/Bottle (Antacid Gel) | Bottle |
| 4 | Albendazole (Susp) : 200mg/ 5ml-10ml | Bottle |
| 5 | Co-Trimoxazole (Sulphamethoxazole + Trimethoprim) (Susp) : (200+40)mg/5ml-50ml/Bottle | Bottle |
| 6 | Co-Trimoxazole (Sulphamethoxazole + Trimethoprim) (Tab) : (800+160)mg (D.S) | 10's |
| 7 | Cetrimide Powder : 1kg / Pkt | Pkt |
| 8 | Chloramphenicol Eye applicable (50 Cap Per Bottle) | Bottle |
| 9 | Co- Trimoxazole (Trimethoprim+ Sulphamethoxazole)- S.S (Tab) : (80+400)mg | 10's |
| 10 | Co- Trimoxazole (Trimethoprim+ Sulphamethoxazole), (Peadiatric Tab) : (20+100)mg | 10's |
| 11 | Dicyclomine Hydrochloride (Tab) : 10mg | 10's |
| 12 | IFA (Fe fumarate 304 mg, Folic Acid 0.5mg) (Tab) (Large) | 30's |
| 13 | IFA (Fe fumarate 152mg, Folic Acid 1500mcg)(Tab) (Small) | 15's |
| 14 | Mebendazole (Tab) : 100 mg | 6's |
| 15 | Mebendazole (Susp) : 100mg/5ml-30ml/Bottle | Bottle |
| 16 | Methylergometrine (Inj): 0.2mg/ml-1ml | Amp |
| 17 | Methylergometrine (Tab): 0.125mg | 10's |
| 18 | Metronidazole (oral liquid): 200mg(as benzonate) /5ml-60ml | Bottle |
| 19 | Metronidazole (Tablet): 200 mg | 10's |
| 20 | Metronidazole (Tablet): 400mg | 10's |
| 21 | Neomycin Sulphate 5mg, Bacitracin 250 u, Sulpha-cetamide 30mg. So. Sulphacetamide 36mg per g (Oint) : 15g/Tube | Tube |
| 22 | Oral Rehydration Powder : 27.5 G | Pkts |
| 23 | Paracetamol (Syrup) : 125mg / 5ml-60ml / Bottle | Bottle |
| 24 | Paracetamol (Tab) : 500mg | 10's |
| 25 | Povidone Iodine (Ointment) : 5% W/W -15 gm/Tube | Tube |
| 26 | Povidone Iodine (Solution)-10% W/V -500ml/ Bottle | Bottle |
| 27 | Povidone Iodine (Solution)-5% W/V -500ml / Bottle | Bottle |
| 28 | Savlon (Chlorhexidine Gluconate 0.3 % V/V , Cetrimide 0.6% W/V) (Liquied) : 1000 ml | Bottle |
| 29 | Vitamin A Soution (Vit. A Concentrate oil I.P 1,00,000 I.U/MI)-100ml/Bottle | Bottle |

ANNEXURE – II

List of Essential Drugs required for C.H.C For the F.Y 2020-21 (approved vide order No. MSUP-1/2019-20, Dated,28th Nov/2019 and No.MSUP-9/2019-20, Dated-Naharlagun the 19th January'2021)

| SL.NO | Name of Medicine | Unit |
|-------|----------------------------------------------------------------------------------------------------------------|--------|
| 1 | Albendazole (Tab) : 400 mg | 1's |
| 2 | Al(OH)3-830mg/10ml, Mg(OH)185mg, Simethicone-50mg, Na Carboxymethylcellulose-100mg-170ml/Bottle (Antacid Gel) | Bottle |
| 3 | Al(OH)3-300mg, Al Slicate50mg, Mg(OH)25mg, Simethicone-25mg (Tab) (Antacid) | 9's |
| 4 | Amoxicillin (Cap) : 250mg | 10's |
| 5 | Amoxicillin (Cap) : 500 mg | 10's |
| 6 | Ampicillin (Cap) : 250 mg | 10's |
| 7 | Ampicillin (Cap) : 500mg | 10's |
| 8 | Ampicillin (Inj): 250mg/ Vial | Vial |
| 9 | Ampicillin (Inj): 500mg/ Vial | Vial |
| 10 | Ampicillin (Dry .Syrup) : 125mg/5ml-60 ml/Bottle | Bottle |
| 11 | Acetyl Salicylic Acid (Tab) : 100mg | 14's |
| 12 | Acetyl Salicylic Acid (Tab) : 325 mg | 14's |
| 13 | Adrenaline (Inj) : ml | Amp |
| 14 | Aminophylline (Inj) : 250 mg/2ml-10ml | Amps |
| 15 | Aminophylline (Inj) : 25mg/ml-5ml | Amps |
| 16 | Amlodipine (Tab) : 2.5mg | 10's |
| 17 | Amlodipine (Tab) : 5mg | 10's |
| 18 | Amlodipine (Tab) : 10mg | 10's |
| 19 | Amoxicillin(Powder for Suspension) : 125mg/5ml-60ml | Bottl |
| 20 | Antirabies immunoglobulin (human) (inj) : 2.5 IU/ml in vial | Vial |
| 21 | Antitetanus immunoglobulin (human) inj :500IU in vial | Vial |
| 22 | Antivenom immunoglobulin (human) inj. : 10ml/ Vial | Vial |
| 23 | Ascorbic Acid (Tab) : 100mg | 10's |
| 24 | Ascorbic Acid (Tab) : 500mg | 10's |
| 25 | Atenolol (Tab) : 50mg | 10's |
| 26 | Atenolol (Tab) : 100mg | 10's |
| 27 | Atropine (Inj) : 0.6 mg/ml-10ml/ Vial | Vial |
| 28 | Benzoic Acid + Salicylic Acid (Oint) : (6% + 3%)-50 gm/ Tube | Tubes |
| 29 | Betamethasone (Eye Drop) : 0.1%- W/V -5ml | Vial |
| 30 | Bethamethasone Dipropionate (Lotion) : 0.05%-30ml/ Bottle | Bottle |

| | | |
|----|-----------------------------------------------------------------------------------------|---------|
| 31 | Bethamethasone valerate 0.12% with Neomycin Sulphate 0.5% W/V (Oint) 20g/Tube | Tube |
| 32 | Bethamethasone Dipropionate (Ointment) : 0.05% W/W-10 g/Tube | Tube |
| 33 | Bisacodyl (Tab) : 5mg | 10's |
| 34 | Bisacodyl (Supp) : 5mg | 5's |
| 35 | Beclomethason Inhalation : 100mcg/puff-200md | Bottle |
| 36 | Benzathine Penicillin (Inj) : 24 lacs /Vial | Vial |
| 37 | Benzathine Penicillin (Inj) : 6 lacs/Vial | Vial |
| 38 | Benzyl Benzoate (Lotion) : 25% W/W -100ml/Bottle | Bottls |
| 39 | Benzyl Penicillin (Inj) :10 lacs | Vials |
| 40 | Benzyl Penicillin(Inj) : 5 lacs | Vials |
| 41 | Bleaching Powder-200gm/Pkt | Pkts |
| 42 | Compound Benzoin (Alcohol content 70%-77% V/V)-450ml/Bottle | Bottle |
| 43 | Calcium Citrate-500mg, Vit. D 3 100 IU (Tab) | 10's |
| 44 | Carbamazepine (Tab) : 200mg | 10's |
| 45 | Chlorhexidine 0.2% W/V (Mouth Wash)-150ml/Bottle | Bottle |
| 46 | Ciprofloxacin (Tab) : 500 mg | 10's |
| 47 | Cloxacillin (Syp) : 125mg / 5 ml-30ml/Bottel | Bottls |
| 48 | Co-Trimoxazole (Sulphamethoxazole + Trimethoprim) (Susp) : (200+40)mg/5ml-50ml/Bottle | Bottles |
| 49 | Carbamazepine (Tab) : 100mg | 10's |
| 50 | Carbamazepine (Syrup) : 100 mg/5ml-100 ml | Bottls |
| 51 | Cephalexin (D. Syp) : 125 mg/5ml-30ml | Bottls |
| 52 | Cephalexin (Cap): 250 mg | 10's |
| 53 | Cetrimide (T- Sol) : 3.5% -100ml | Bottle |
| 54 | Cetrimide (T- Sol) : 1.5% -100ml | Bottle |
| 55 | Cetrimide (T- Sol) : 1% -100ml | Bottle |
| 56 | Chloramphenicol (Eye Drops) : 1%-5ml/Vial | Vials |
| 57 | Chloramphenicol(Eye Oint) : 1%- 5g/Tube | Tube |
| 58 | Chlorphenamine Maleate (Tab) : 4mg | 10's |
| 59 | Chlorpromazine (Inj) : 25mg/ml-2ml /Amp | Amp |
| 60 | Ciprofloxacin (Inj) 2mg/ ml-100ml/Bottle | Bottls |
| 61 | Ciprofloxacin (Tab) : 250 mg | 10's |
| 62 | Ciprofloxacin (Tab) : 500mg | 10's |
| 63 | Ciprofloxacin (Eye Drops) : 0.3% W/V -5ml/Vial | Vials |
| 64 | Clotrimazole (Cream) : 1% w/w -15 gm/Tube | Tube |
| 65 | Clotrimazole (Pessaries) : 100mg | 6's |
| 66 | Clotrimazole (Pessaries) : 200mg | 3's |
| 67 | Clotrimazole Lotion : 1% W/V -15 ml/Bottle | Bottle |
| 68 | Cloxacillin (Cap) : 250 mg | 15's |

| | | |
|-----|----------------------------------------------------------------------------------------------|--------|
| 69 | Cloxacillin (Cap) : 500 mg | 15's |
| 70 | Co- Trimoxazole (Trimethoprim+ Sulphamethoxazole), (Padiatric Tab): (20+100)mg | 10's |
| 71 | Co- Trimoxazole (Trimethoprim+ Sulphamethoxazole)- S.S (Tab): (80+400)mg | 10's |
| 72 | Compound Sodium Lactate (Inj) : 500 ml /Bottle | Bottls |
| 73 | Diazepam (Tab) : 5 mg | 10's |
| 74 | Diethylcarbamazine (Tab) : 150mg | 10's |
| 75 | Domperidone (Tab) : 10mg | 10's |
| 76 | Domperidone (Susp) : 1mg/ml-30ml/Bottle | Bottls |
| 77 | Dexamethasone (Tab) : 0.5 mg (Tab) | 10's |
| 78 | Dexamethasone Sodium Phosphate (Inj) : 4mg/ml-2ml /Vial | Vials |
| 79 | Dexchlorpheniramine Maleate (Syrup) : 2 mg/5ml-100 ml/Bottle | Bottls |
| 80 | Dextran(High molecular Weight) (DEX Tran) (Inj) - 110 | Bottls |
| 81 | Dextromethorphan (Tab) : 10 mg | 10's |
| 82 | Dextrose with sodium chloride (Infusion) : 5% glucose,0.9% sodium chloride -500ml/Bottle | Bottls |
| 83 | Dextrose.(Infusion) : 5%- 500 ml /Bottle | Bottls |
| 84 | Diazepam (Tab) : 5 mg | 10's |
| 85 | Diazepam (Inj) : 5 mg/ml-2ml/Amp | Amps |
| 86 | Diazepam. -10mg (Tab) | 10's |
| 87 | Dicyclomine Hydrochloride (Tab) : 10mg | 10's |
| 88 | Dicyclomine Hydrochloride (Inj) : 10mg/ml-2ml | Amp |
| 89 | Doxycycline (Tab) : 100 mg | 10's |
| 90 | Enalapril (Tab) : 10mg | 10's |
| 91 | Enalapril (Tab) : 2.5mg | 10's |
| 92 | Erythromycin (Tab) : 250mg | 10's |
| 93 | Erythromycin (Tab) : 500mg | 10's |
| 94 | Ethyl Alcohol 70%-500ml/Bottle (Solution) | Bottls |
| 95 | Enalapril (Inj) : 1.25mg/ml -1ml | Amps |
| 96 | Enalapril (Tab) : 5mg | 10's |
| 97 | Erythromycin (Susp) : 125mg/5ml -60ml/ Bottle | Bottls |
| 98 | Etofyline + Theophyline Hydrate (Inj) : (84.7mg+25.3mg)/ml-2ml | Amp |
| 99 | Ethamsylate (Tab) : 500mg | 10's |
| 100 | Formaldehyde IP (Formalin 37-40% W/V (Solution) 400ml/Bottle | Bottls |
| 101 | Furosemide (Inj) : 10mg/ml-2ml/Amp | Amps |
| 102 | Furosemide (Tab) : 40mg | 10's |
| 103 | Framycetin Sulphate (Cream) : 1%(W/W)-100gm/Tube | Tube |
| 104 | Gentamicin (Inj) : 10mg/ml-2ml/Vial | Vial |
| 105 | Gentamicin (Eye/Ear Drop) : 0.3% (W/V) 5ml/Vial | Vial |

| | | |
|-----|---------------------------------------------------------------------------------|--------|
| 106 | Glibenclamide (Tab) : 2.5mg | 10's |
| 107 | Glibenclamide (Tab) : 5mg | 10's |
| 108 | Gamma Benzene Hexachloride 1% W/V, Cetrimide 0.1% W/V(Emulsion)-100ml | Bottle |
| 109 | Gentamicin (Inj) : 40mg/ml-2ml/Vial | Vial |
| 110 | Gentian Violet(Paint) 1 %-30gm/ Tube | Tube |
| 111 | Gentian Violet (Paint)0.5%-30gm/ Tube | Tube |
| 112 | Glycerin (Solution) : 100% Pure versable skin care soften & moistures - 200g.m | Bottls |
| 113 | Glyceryl Trinitrate (Tab) : 0.5 mg | 30's |
| 114 | Glyceryl Trinitrate (Inj) : 5mg/ml-5ml/ Amp | Amp |
| 115 | Griseofulvin (Tab) : 125mg | 10's |
| 116 | Griseofulvin (Tab) : 250mg | 10's |
| 117 | Hyoscine Butyl Bromide (Inj) : 20mg / ml / Amp | Amp |
| 118 | Hydrogen Peroxide 6%-100ml/Bottle (Solution) | Bottls |
| 119 | Hyoscine Butyl Bromide (Tab) : 10mg | 10's |
| 120 | Insulin Rapid (Inj) : 40 i.u/ml-10ml/Vial | Vial |
| 121 | Insulin lente (Inj) : 40 i.u/ml-10ml/Vial | Vial |
| 122 | Isosorbide Dinitrate (Tab) : 5mg | 50's |
| 123 | Isosorbide Mononitrate(Tab): 20 mg | 10's |
| 124 | Ibuprofen (Tab) : 400 mg | 10's |
| 125 | Isphaghula (Granules) : 200gm/ Pkt | Pkt |
| 126 | Lignocaine Hydrochloride (Lidocaine) (Inj) : 2%-50ml/Vial | Vial |
| 127 | Lignocaine (Lidocaine) (Jelly) : 2% W/W 30gm/Tube | Tube |
| 128 | Methylergometrine (Inj): 0.2mg/ml-1ml | Amp |
| 129 | Methylergometrine (Tab): 0.125mg | 10's |
| 130 | Metronidazole (oral liquid): 200mg(as benzonate) /5ml-60ml | Bottle |
| 131 | Miconazole (Cream): 2%-15gm/Tube | Tube |
| 132 | Mebendazole (Tab) : 100 mg | 6's |
| 133 | Mebendazole (Susp) : 100 mg/5ml-30ml/Bottle | Bottle |
| 134 | Metformin (Tab) : 500 mg | 10's |
| 135 | Methyldopa (Tab) : 250 mg | 10's |
| 136 | Metoclopramide (Tab) : 10mg | 10's |
| 137 | Metoclopramide Hcl (Syrup) : 5mg/5ml-30ml/Bottle | Bottls |
| 138 | Metoclopramide (Inj) : 5mg/ml-2ml/Amp | Amps |
| 139 | Metronidazole (Tab) : 200mg | 10's |
| 140 | Metronidazole (Tab) : 400mg | 10's |
| 141 | Metronidazole (Inj) : 500mg/100ml /Bottle | Bottle |
| 142 | Nalidixic Acid (Tab Kid) : 125mg | 10's |
| 143 | Nalidixic Acid (Tab) : 500mg | 8's |

| | | |
|-----|----------------------------------------------------------------------------------------------------------------|--------|
| 144 | Nitrofurantoin (Tab) : 100mg | 10's |
| 145 | Nitrofurantoin (Tab) : 50 mg | 10's |
| 146 | Norfloxacin (Tab) : 400mg | 10's |
| 147 | Nystatin (Pessaries) : 100,000 IU | 14's |
| 148 | Neomycin Sulphate 5mg, Bacitracin 250 u, Sulpha-cetamide 30mg. So. Sulphacetamide 36mg per g (Oint) : 15g/Tube | Tube |
| 149 | Nystatin (Tab) : 500,000 IU | 10's |
| 150 | Omeprazole (Cap) : 10mg | 10's |
| 151 | Omeprazole (Cap) : 20mg | 10's |
| 152 | Omeprazole (Cap) : 40mg | 10's |
| 153 | Oral Rehydration Powder - 27.5 G | Pakts |
| 154 | Oxytocin (Inj) : 5 I.U/ml-1ml /Amp | Amp |
| 155 | Podophylli -25% in Benzoin tincture-15ml (1/2 FLOZ) | Bottle |
| 156 | Paracetamol(Tab) : 500mg | 10's |
| 157 | Phenytoin Sodium (Tab) :100mg | 100's |
| 158 | Phenytoin Sodium (Syrup): 30mg/5ml-200ml/Bottle | Bottls |
| 159 | Potassium Permanganate-100ml/Bottle (Crystals for Solution) | Bottls |
| 160 | Promethazine (Syrup) : 5mg/5ml-60ml/ Bottle | Bottls |
| 161 | Propranolol Hcl (Inj) : 1mg/ml /Amp | Amps |
| 162 | Propranolol (Tab) : 40 mg | 10's |
| 163 | Paracetamol (Syrup) : 125mg / 5ml-60ml / Bottle | Bottle |
| 164 | Paracetamol (Inj) : 150mg/ml-2ml/Amp | Amp |
| 165 | Pentazocine (Inj) : 30mg/ml /Amp | Amp |
| 166 | Pethidine Hydrochloride (Inj) : 50mg / ml /Amp | Amp |
| 167 | Pheniramine Maleate (Inj) : 22.75mg/ml-2ml/Amp | Amp |
| 168 | Phenoxy Methyl Penicillin potassium(Tab) : 250mg | 10's |
| 169 | Phenytoin (Inj) : 50 mg/ml -2ml /Amp | Amp |
| 170 | Phenytoin Sodium (Tab) : 50 mg | 100's |
| 171 | Potassium Chloride oral Solution U.S.P (10% Solution) : KCL - 1.5g with alcohol-5%)/ 15ml-200ml/Bottle | Bottle |
| 172 | Povidone Iodine (Solution) : 10% W/V-500ml/ Bottle | Bottle |
| 173 | Povidone Iodine (Solution) : 5% W/V- 500ml/ Bottle | Bottle |
| 174 | Povidone Iodine (Ointment) : 5% W/W - 15 g/Tube | Tube |
| 175 | Prednisolone (Tab) : 5mg | 10's |
| 176 | Prednisolone (Eye Drop) : 10mg / ml-10ml/Vial | Vial |
| 177 | Prednisolone (Tab) : 10mg | 10's |
| 178 | Procaine Benzylpenicillin (Inj) : 4 Lac/Vial | Vial |
| 179 | Promethazine (Tab) : 10mg | 10's |
| 180 | Promethazine (Tab) : 25mg | 10's |

| | | |
|-----|--------------------------------------------------------------------------------|--------|
| 181 | Promethazine (Inj) : 25mg/2ml/Amp | Amp |
| 182 | Propranolol (Tab) : 10 mg | 10's |
| 183 | Ranitidine (Tab) : 150mg | 10's |
| 184 | Ranitidine (Inj) : 25mg/ml (As Hydrochloride) in 2ml /Amp | Amp |
| 185 | Ranitidine (Tab) : 300mg | 10's |
| 186 | Ringer Lactate (IV infusion) : 500 ml / Bottle | Bottle |
| 187 | Salbutamol Inhalation I.P (100mcg/Puff) Metered dose-200md | Bottle |
| 188 | Salbutamol (Tab) : 2mg | 10's |
| 189 | Salbutamol (Syrup) : 2mg/5ml-100 ml/Bottle | Bottle |
| 190 | Salbutamol (Tab) : 4 mg | 10's |
| 191 | Silver Nitrate Solution : 10% -1 OZ/ Amber glass bottle | Bottle |
| 192 | Silver Sulfadiazine (Cream):1% W/W -25g | Tube |
| 193 | Silver Sulfadiazine (Cream) :1% W/W -250gm | Jar |
| 194 | Silver Sulfadiazine (Cream) :1% W/W - 500gm | Jar |
| 195 | Sodium Bicarbonate (Inj) : 8.4%-50ml / Vial | Vial |
| 196 | Sodium Chloride (Infusion)) : 0.9% - 500ml/Bottle | Bottle |
| 197 | Sulfacetamide (Eye Drops) : 30%-10ml/Vial | Vials |
| 198 | Sulfacetamide (Eye/Ear Drops) : 10%-10ml/Vial | Vials |
| 199 | Sulfacetamide (Eye Drops) : 20%-10ml/Vial | Vials |
| 200 | Tetracycline Hydrochloride (Eye Oint) : 1%-5g/Tube | Tube |
| 201 | Tetracycline (Cap) : 250mg | 10's |
| 202 | Tinidazole (Tab) : 500 mg | 10's |
| 203 | Vit -A 5000 IU, Vit -D 400 IU (Softgels) -250Softgels/Bottle | 250's |
| 204 | Vit D-3 60000 IU , Cap | 4's |
| 205 | Vit K (Acetomenaphthone) (Inj) -1ml/Amp | Amp |
| 206 | Vitamin A Palmitate (Inj) : 50,000 USP Units/ml (15mg/ml retinol)-2ml /Amp | Amp |
| 207 | Vitamin A Soution (Vit. A Concentrate oil I.P 1,00,000 I.U/MI)-100ml/Bottle | Bottle |
| 208 | Vitamin A (Tab) : 10000 IU | 10's |
| 209 | Vitamin B. Complex : 100 ml (Syrup) | Bottle |
| 210 | Water for Injection : 2ml /Amp | Amp |
| 211 | Water for Injection : 5ml/ Amp | Amp |
| 212 | Water for Injection : 10ml/ Amp | Amp |
| 213 | Xylometazoline Hydrochloride (Nasal drop) : 0.1% (W/V) 10ml/ Vial | Vial |
| 214 | Xylometazoline Hydrochloride (Nasal drop) : 0.05% (W/V) 10 ml/ Vial | Vial |
| 215 | Zinc Oxide (Dusting Powder) : 1 Kg/ Pkt | Pkt |

Annexure-III

List of Essential Drugs required for P.H.C For the F.Y 2020-21(approved vide order No. MSUP-1/2019-20, Dated,28th Nov/2019 and No.MSUP-9/2019-20, Dated Naharlagun the 19th January'2021)

| SL.No | Name o f the Drug | Unit |
|-------|----------------------------------------------------------------------------------------------------------------|--------|
| 1 | Ampicillin (Inj) : 500mg/Vial | Vial |
| 2 | Acetyl Salicylic Acid (Tab) : 100mg | 14's |
| 3 | Acetyl Salicylic Acid (Tab) : 325 mg | 14's |
| 4 | Acetyl Salicylic Acid (Tab): 75mg | 14's |
| 5 | Acetyl Salicylic Acid (Tab): 150 mg | 14's |
| 6 | Adrenaline (Inj) : ml | Amp |
| 7 | Albendazole (Susp) : 200mg/ 5ml-10ml | Bottle |
| 8 | Albendazole (Tab): 400mg | 1'S |
| 9 | Alprazolam (Tab) : 0.25mg | 10's |
| 10 | Al(OH)3-830mg/10ml, Mg(OH)185mg, Simethicone-50mg, Na Carboxymethylcellulose-100mg-170ml/Bottle (Antacid Gel) | Bottle |
| 11 | Al(OH)3-300mg, Al Slicate-50mg, Mg(OH)-25mg, Simethicone-25mg (Tab) (Antacid) | 9's |
| 12 | Aminophylline (Inj) : 250mg/2ml-10ml | Amp |
| 13 | Amitriptyline (Tab) : 25mg | 10's |
| 14 | Amlodipine (Tab) : 10mg | 10's |
| 15 | Amlodipine (Tab) : 2.5mg | 10's |
| 16 | Amlodipine (Tab) : 5mg | 10's |
| 17 | Amoxicillin (Cap) : 500mg | 10's |
| 18 | Amoxicillin (Cap) : 250mg | 10'S |
| 19 | Amoxicillin(Powder for Suspension) : 125mg/5ml-60ml | Bottle |
| 20 | Ascorbic Acid (Tab) : 100mg | 10's |
| 21 | Ascorbic Acid (Tab) : 500 mg | 10's |
| 22 | Atenolol (Tab) : 50mg | 10's |
| 23 | Atropine (Inj) : 0.6mg/ml-10ml/Vial | Vial |
| 24 | Benzathine Penicillin (Inj) : 12 Lac/Vial | Vial |
| 25 | Benzoic Acid 6% W/W + Salicylic Acid 3% W/W (Ointment)-50gm /Tube | Tube |
| 26 | Benzyl Benzoate Lotion : 25% W/W -100ml/ Bottle | Bottle |
| 27 | Bisacodyl (Tab) : 5mg | 10's |
| 28 | Bleaching Powder (Powder) : 200gm/Pkt | PKT |
| 29 | Co-Trimoxazole (Sulphamethoxazole + Trimethoprim) (Tab) : (800+160)mg (D.S) | 10's |
| 30 | Co- Trimoxazole (Trimethoprim+ Sulphamethoxazole), (Padiatric Tab): (20+100)mg | 10's |

| | | |
|----|-------------------------------------------------------------------------------------------------------------------|---------------------|
| 31 | Co- Trimoxazole (Trimethoprim+ Sulphamethoxazole)- S.S (Tab) : (80+400)mg | 10s |
| 32 | Co-Trimoxazole (Sulphamethoxazole + Trimethoprim) (Susp) : (200+40)mg/5ml-50ml/Bottle | Bottle |
| 33 | Crystalline Penicillin (Inj) : 5Lacs / Vial | Vial |
| 34 | Calcium Gluconate (Inj) : 10% W/V-10ml | Amp |
| 35 | Calcium Lactate (Non- Dairy Calcium Supplement-250mg Calcium, 50 mg magnesium) (Vegetarian-330 Tabs) : 300mg | 330 Tabs/ Bottle |
| 36 | Chloramphenicol (Inj) : 1000mg/Vial | Vial |
| 37 | Chloroquine Phosphate-(inj) : 40mg/ml-5ml/Amp | Amp |
| 38 | Chloroquine Phosphate (Susp) : 50mg/5ml-60 ml /Bottle | Bottle |
| 39 | Chloroquine Phosphate (Tab) : 250mg | 1000's |
| 40 | Chlorphenamine Maleate (Tab) : 4mg | 10's |
| 41 | Chlorpromazine (Inj) : 25mg/2ml/Amp | Amp |
| 42 | Ciprofloxacin Hydrochloride (Tab) : 250mg | 10's |
| 43 | Ciprofloxacin Hydrochloride (Tab) : 500mg | 10's |
| 44 | Ciprofloxacin Hydrochloride(Drop) : 0.3% W/V-5ml/Vial (Eye/Ear) | Vial |
| 45 | Ciprofloxacin Hydrochloride (Ointment) : 0.3% W/W 5gm/Tube | Tube |
| 46 | Clotrimazole (Lotion) : 1 % W/V-15ml /Bottle | Bottle |
| 47 | Clotrimazole (Pessaries) : 100mg | 6's |
| 48 | Clotrimazole (Pessaries) : 200mg | 3's |
| 49 | Dexamethasone Sodium (Inj) : 4mg/ml-2ml/Vial | Vial |
| 50 | Diazepam (Inj) : 5mg/ml-2ml/Amp | Amp |
| 51 | Diazepam (Tab) : 10mg | 10's |
| 52 | Diazepam (Tab) : 2mg | 10's |
| 53 | Diazepam (Tab) : 5mg | 10's |
| 54 | Dicyclomine Hydrochloride (Inj) : 10mg/ml-2ml | Amp |
| 55 | Dicyclomine Hydrochloride (Tab) : 10mg | 10's |
| 56 | Digoxin (Elixir) : 50mcg/ml-30ml/ Bottle | Bottle |
| 57 | Digoxin (Inj) : 0.5mg /2ml/Amp | Amp |
| 58 | Digoxin (Tab) : 0.25mg | 10's |
| 59 | Domperidone (Susp) : 1mg/ml-30ml/Bottle | Bottle |
| 60 | Domperidone (Tab) : 10mg | 10's |
| 61 | Doxycycline (Tab) : 100mg | 10's |
| 62 | Etofyline + Theophyline Hydrate (Tab) : (77mg+23mg) | 10's |
| 63 | Etofyline + Theophyline Hydrate (Inj) : (84.7mg+25.3mg)/ml-2ml | Amp |
| 64 | Etofyline + Theophyline Hydrate (Syr) : (46.5mg+14mg)/5ml-100ml | Bottle |
| 65 | Fluoxetine (Tab) : 20mg | 10's |
| 66 | Folic Acid (Tab) : 1mg | 10's |
| 67 | Folic Acid (Tab) : 5mg | 10's |
| 68 | Furosemide (Inj) : 10mg/ml-2ml/Amp | Amp |

| | | |
|-----|----------------------------------------------------------------------------------------------------------------|--------|
| 69 | Furosemide (Tab) : 40mg | 10's |
| 70 | Fortified Procaine Penicillin (Inj) : 4 Lacs/Vial | Vial |
| 71 | Glibenclamide (Tab) : 5mg | 10's |
| 72 | Gentamicin (Inj) : 40mg/ ml -2ml/ Vial | Vial |
| 73 | Gentian Violet(Paint) : 1 %-30gm/ Tube | Tube |
| 74 | Gentian Violet (Paint) : 0.5%-30gm/ Tube | Tube |
| 75 | Glucose with Sodium Choride (Inj) : 5%+0.9%-500ml/Bottle | Bottle |
| 76 | Glucose-5% (Inj): 500ml/Bottle | Bottle |
| 77 | Glucose-50 % Hypertonic (Inj) : 100ml/Bottle | Bottle |
| 78 | Hydrocortisone (Inj) : 100 mg/ Vial | Vial |
| 79 | Haloperidol (Tab) : 10mg | 10's |
| 80 | Haloperidol (Tab) : 5 mg | 10's |
| 81 | Hydrogen Peroxide (H2O2) (Solution): 6%- 100 ml/ Bottle | Bottle |
| 82 | Hyoscine Butylbromide (inj):20mg/ml-1ml/Amp | Amp |
| 83 | Hyoscine Butylbromide (Tab) : 10mg | 10's |
| 84 | Ibuprofen (Tab) : 200mg | 10's |
| 85 | Ibuprofen (Tab) : 400mg | 10's |
| 86 | Isosorbide Dinitrate (Tab) : 5 mg | 50's |
| 87 | Isosorbide Dinitrate (Tab): 10 mg | 50's |
| 88 | Isosorbide Mononitrate(Tab): 20 mg | 10's |
| 89 | Isosorbide Mononitrate(Tab): 30 mg | 10's |
| 90 | Isoxsuprine Hydrochloride (Inj) : 5mg/ml-2ml/Amp | Amp |
| 91 | Lignocaine Hydrocholride (Lidocaine) (Inj) : 2 %-50ml/Vial | Vial |
| 92 | Lignocaine Hydrocholride (Inj) : 5% -2ml/Amp | Amp |
| 93 | Methylergometrine (Inj) : 0.2mg/ml/Amp | Amp |
| 94 | Mannitol (Infusion) : 20%-100ml/Bottle | Bottle |
| 95 | Metronidazole (Tab) : 400 mg | 10's |
| 96 | Metronidazole(Tab) : 200mg | 10's |
| 97 | Miconazole (Cream): 2%-15gm/Tube | Tube |
| 98 | Neomycin Sulphate 5mg, Bacitracin 250 u, Sulpha-cetamide 30mg. So. Sulphacetamide 36mg per g (Oint) : 15g/Tube | Tube |
| 99 | Norfloxacin (Tab): 200mg | 10's |
| 100 | Norfloxacin (Tab): 400mg | 10's |
| 101 | Normal Saline-0.9% (Infusion)-500ml/Bottle | Bottle |
| 102 | Oral Rehydration Powder 27.5 G/Pkt | Pkt |
| 103 | Potassium Chloride oral Solution U.S.P (10% Solution) : KCL - 1.5g with alcohol-5%)/ 15ml-200ml/Bottle | Bottle |
| 104 | Paracetamol (Syrup) : 125mg/5ml-60ml/Bottle | Bottle |
| 105 | Paracetamol (Inj) : 150mg/ml-2ml/Amp | Amp |
| 106 | Paracetamol (Tab) : 500mg | 10's |
| 107 | Pentazocine (Inj) : 30mg/ml- 1ml/Amp | Amp |
| 108 | Pethidine Hcl (Inj) : 50mg/ ml/Amp | Amp |

| | | |
|-----|-----------------------------------------------------------------------------------|--------|
| 109 | Phenobarbitone (Inj) : 200mg/ml/Vial | Vial |
| 110 | Phenobarbitone (Tab) : 60mg | 10'a |
| 111 | Phenobarbitone (Tab) : 30mg | 10'a |
| 112 | Phenytoin Sodium (Inj) : 50 mg /ml-2ml/ Amp | Amp |
| 113 | Phenytoin Sodium (Tab) : 50mg | 150's |
| 114 | Phenytoin Sodium (Tab) : 100mg | 100's |
| 115 | Potassium Permanganate Crystals for Solution-20g/Pkt | Pkt |
| 116 | Povidone Iodine (Solution)-10% W/V-500ml/ Bottle | Bottle |
| 117 | Povidone Iodine (Solution)-5% W/V-500ml/ Bottle | Bottle |
| 118 | Prednisolone (Tab) 10mg | 10's |
| 119 | Prednisolone (Tab) 5mg | 10's |
| 120 | Promethazine (Syp) : 5mg/5ml-60ml/Bottle | Bottle |
| 121 | Promethazine (Inj): 25mg/2ml/Amp | Amp |
| 122 | Human Albumin (Inf) -5%-100ml/Bottle | Bottle |
| 123 | Human Albumin (Inf) -20%-100ml/Bottle | Bottle |
| 124 | Promethazine (Tab) : 25mg | 10's |
| 125 | Ringer Lactate (IV infusion) : 500ml/Bottle | Bottle |
| 126 | Oxytocin (Inj) : 5 IU/ml-1ml/Amp | Amp |
| 127 | Salbutamol Inhalation I.P (100mcg/Puff) Metered dose-200md | Bottle |
| 128 | Salbutamol (Syrup) : 2mg/5ml-100 ml/Bottle | Bottle |
| 129 | Salbutamol (Tab) : 2mg | 10's |
| 130 | Salbutamol (Tab): 4mg | 10's |
| 131 | Silver Sulfadiazine (Cream) : 1% 25 gm/ Tube | Tube |
| 132 | Sodium Bicarbonate (Inj) : 8.4%-50ml/Vial | Vial |
| 133 | Sulfadoxine + Pyrimethamine (Tab) : (500+25) mg | 2's |
| 134 | Sulfacetamide(Eye /Ear Drops) : 10%-10ml / Vial | Vial |
| 135 | Tinidazole (Tab) : 300mg | 10's |
| 136 | Tinidazole (Tab) : 500 mg | 10's |
| 137 | Vecuronium Bromide (Inj) : 4mg/ml-1ml/Amp | Amp |
| 138 | Vit -A 5000 IU, Vit -D 400 IU (Softgels) -250Softgels/Bottle | 250's |
| 139 | Vit D-3 60000 IU , Cap | 4's |
| 140 | Vit K (Acetomenaphthone) (Inj) -1ml/Amp | Amp |
| 141 | Vitamin A Palmitate (Inj) : 50,000 USP Units/ml (15mg/ml retinol)-2ml /Amp | Amp |
| 142 | Vitamin A Soutlion (Vit. A Concentrate oil I.P 1,00,000 I.U/MI) -100ml/Bottle | Bottle |
| 143 | Vitamin A (Tab) : 10000 IU | 10's |
| 144 | Vitamin B. Complex : 100 ml (Syrup) | Bottle |
| 145 | Water for Injection: 10ml/Amp | Amp |
| 146 | Water for Injection : 2ml/Amp | Amp |
| 147 | Water for Injection: 5ml/Amp | Amp |

Annexure –IV

List of Essential Drugs required for District Hospital For the F.Y 2020-21(approved vide order No. MSUP-1/2019-20, Dated,28th Nov/2019 and No.MSUP-9/2019-20, Dated Naharlagun the 19th January'2021)

| SL.NO | Name of the Drugs | Unit |
|-------|--------------------------------------------------------------------|--------|
| 1 | Acetyl Salicylic Acid (Tab) : 100 mg | 14's |
| 2 | Aciclovir : 3%- 5gm / Tube (Eye oint) | Tube |
| 3 | Adrenaline (Inj): 1ml | Amp |
| 4 | Alprazolam (Tab) : 0.25mg | 10's |
| 5 | Amikacin (Powder for injection):100 mg-2ml | Vial |
| 6 | Amikacin (Powder for injection) :250 mg-2ml | Vial |
| 7 | Amikacin (Powder for injection) :500 mg-2ml | Vial |
| 8 | Aminophylline (Inj) : 250mg/2ml-10ml | Amp |
| 9 | Aminophylline (Tab) : 225mg | 10's |
| 10 | Amitriptyline(Tab) : 25mg | 10's |
| 11 | Amitriptyline (Tab) : 50mg | 10's |
| 12 | Amlodipine (Tab) : 5mg | 10;s |
| 13 | Amlodipine (Tab) : 10mg | 10;s |
| 14 | Amoxicillin (Cap) : 250mg | 10's |
| 15 | Amoxicillin (Cap) : 500 mg | 10's |
| 16 | Amoxicillin +Cloxacillin(Cap):(250+250)mg | 10's |
| 17 | Amoxicillin -500mg, Clavulanic Acid as Potassium-100 mg, Inj/ Vial | Vial |
| 18 | Amoxicillin 500mg+Clavulanic Acid 125mg (Tab) | 6's |
| 19 | Amoxicillin 250mg+clavulanic Acid 125mg (Tab) | 6's |
| 20 | Amoxicillin 1g,clavulanate K 0.2g (Inj) | Vial |
| 21 | Ampicillin (Cap) : 250 mg | 10's |
| 22 | Ampicillin (Cap) : 500mg | 10's |
| 23 | Ampicillin (Inj): 250mg/ Vial | Vial |
| 24 | Ampicillin (Inj): 500mg/ Vial | Vial |
| 25 | Ampicillin (Dry .Syrup) : 125mg/5ml-60 ml/Bottle | Bottle |

| | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 26 | Al(OH) ₃ -830mg/10ml, Mg(OH) ₂ 185mg, Simethicone-50mg, NaCarboxymethylcellulose-100mg-170ml/Bottle (Antacid Gel) | Bottle |
| 27 | Al(OH) ₃ -300mg, Al Slicate 50mg, Mg(OH) ₂ 25mg, Simethicone-25mg (Tab) (Antacid) | 9's |
| 28 | Antirabies immunoglobulin (human) (inj) : 2.5 IU/ml in vial | Vial |
| 29 | Antitetanus immunoglobulin (human) inj : 500 IU in vial | Vial |
| 30 | Antivenom immunoglobulin (human) inj. : 10ml/ Vial | Vial |
| 31 | Ascorbic Acid (Tab) : 100mg | 10's |
| 32 | Ascorbic Acid (Inj) : 100mg/ml-5ml | Amp |
| 33 | Ascorbic Acid (Tab) : 500mg | 10's |
| 34 | Atenolol (Tab): 50mg | 10's |
| 35 | Atropine (Eye oint) : 3gm/Tube | Tube |
| 36 | Atropine (Eye drop): 1% (Sulphate)-5ml | Vial |
| 37 | Atorvastatin (Tab) : 10mg | 10;s |
| 38 | Azithromycin (Tab) : 250 mg | 3's |
| 39 | Azithromycin (Tab) : 500 mg | 3's |
| 40 | Azythromycin (Inj) : 500 mg /vial | Vial |
| 41 | B. Complex Theraputic (Cap) | 10's |
| 42 | B12 (Cyanocobalamin) (Inj): 1000Mcg/ml-10ml/Vial | Vial |
| 43 | B12-500 ug, Folic acid -15mg(Inj)/Ml/Amp | Amp |
| 44 | Benzathine Penicillin (Inj) 12 Lac/ Vial | Vial |
| 45 | Benzathine Penicillin (Inj) 6 Lac/ Vial | Vial |
| 46 | Benzoyl Peroxide Gel -2.5% w/w -20gm/Tube | Tube |
| 47 | Benzoyl Peroxide Gel -5% W/W 20gm/Tube | Tube |
| 48 | Benzyl Benzoate Lotion : 25% W/W -100ml/ Bottle | Bottle |
| 49 | Betahistine (Tab) : 8mg | 10's |
| 50 | Betamethasone (Inj) : 4mg/ml-2ml/Vial | Vial |
| 51 | Betamethasone (Tab): 0.5mg | 10's |
| 52 | Betamethasone (Eye Drop) : 0.1%- W/V -5ml | Vial |

| | | |
|----|----------------------------------------------------------------------------------------------------------------|-----------------|
| 53 | Bethamethasone Dipropionate (Ointment) : 0.05%W/W-10 g/Tube | Tube |
| 54 | Bethamethasone valerate 0.12% with Neomycin Sulphate 0.5% W/V (Oint) 20g/Tube | Tube |
| 55 | Bisacodyl (Tab) : 5mg | 10's |
| 56 | Clotrimazole 1% W/V, Lidocaine Hcl -2% W/V-10ml/Vial(Ear Drop) | Vial |
| 57 | Cabergoline (Tab) : 0.5mg | 4's |
| 58 | Calamine (Lotion) : 8% W/V-100ml/ Bottle | Bottle |
| 59 | Calcium Citrate-500mg, Vit. D 3 100 IU (Tab) | 10's |
| 60 | Calcium Gluconate (Inj) : 10% W/V-10ml | Amp |
| 61 | Calcium Lactate (Non- Dairy Calcium Supplement-250mg Calcium, 50 mg magnesium) (Vegetarian-330 Tabs) : 300mg | 330 Tabs/Bottle |
| 62 | Calcium Pantothenate + vitamin B1,B6, B12 (Inj) : 2ml/Amp | Amp |
| 63 | Captopril (Tab): 12.5mg | 10;s |
| 64 | Carbamazepine (Tab) : 200mg | 10's |
| 65 | Carbamazepine (Syrup) : 100mg/5ml-100ml | Bottle |
| 66 | Cefixime (Tab) : 100 mg | 10's |
| 67 | Cefixime (Tab) : 200 mg | 10's |
| 68 | Cefixime (Tab) : 400 mg | 20's |
| 69 | Cefadroxil (Tab) : 250mg | 10's |
| 70 | Cefoperazone (Inj) : 1g/Vial | Vial |
| 71 | Cefotaxime (powder for injection: 250 mg per vial (as sodium asalt) | Vial |
| 72 | Cefotaxime (powder for injection: 500 mg per vial (as sodium asalt) | Vial |
| 73 | Ceftriaxone with Salbactum (Inj) : 1.5 g/ vial | Vial |
| 74 | Ceftriaxone with Salbactum (Inj) : 750 mg/ vial | Vial |
| 75 | Ceftriaxone (powder for injectin) : 125mg in vial | Vial |
| 76 | Ceftriaxone (powder for injection) :1g (as sodium) in vial | Vial |

| | | |
|-----|----------------------------------------------------------------|--------|
| 77 | Ceftriaxone (powder for injection) : 250 mg(as sodium) in vial | Vial |
| 78 | Ceftriaxone (powder for injection) : 500mg (as sodium) in vial | Vial |
| 79 | Cefuroxime (Inj) : 250mg/Vial | Vial |
| 80 | Cefuroxime (Inj) : 750 mg/Vial | Vial |
| 81 | Cephalexin (Cap):250mg | 10's |
| 82 | Cephalexin (Cap):500mg | 10's |
| 83 | Cetirizine (Tab): 10mg | 10's |
| 84 | Cetrimide (T- Sol) : 3.5% -100ml | Bottle |
| 85 | Cetrimide (T- Sol) : 1.5% -100ml | Bottle |
| 86 | Cetrimide (T- Sol) : 1% -100ml | Bottle |
| 87 | Chloramphenicol Eye Applicable (50 Cap Per Bottle) | Bottle |
| 88 | Chloramphenicol (Inj) : 1000 mg/Vial | Vial |
| 89 | Chlorhexidine (Mouth Wash): 0.2% W/V -150ml/Bottle | Bottle |
| 90 | Chlorphenamine Maleate (Tab) : 4mg | 10's |
| 91 | Chlorpromazine (Inj) : 25mg /ml-2ml/Amp | Amp |
| 92 | Chlorpropamide (Tab) : 250 mg | 10's |
| 93 | Colecalciferol (Inj) : 600000 I.U/MI/ Amp | Amp |
| 94 | Cinnarizine (Tab) : 25mg | 10's |
| 95 | Ciprofloxacin Hcl (E/E Drop) -0.3% W/V-5ml/Vial | Vial |
| 96 | Ciprofloxacin (Inj) : 2mg/ml-100ml | Bottle |
| 97 | Ciprofloxacin (Tab) : 250mg | 10's |
| 98 | Ciprofloxacin (Tab) : 500mg | 10's |
| 99 | Clopidogrel(Tab) : 150mg | 10;s |
| 100 | Clotrimazole Cream : 1% W/W -15g/Tube | Tube |
| 101 | Clotrimazole Lotion : 1% W/V-15ml Bottle | Bottle |
| 102 | Clotrimazole-200 mg,Clindamycin 100 mg (V- Cap) | 3's |
| 103 | Clotrimazole-Vaginal (Tab) : 100mg | 6;s |
| 104 | Cloxacillin (Inj) : 500mg | Vial |
| 105 | Crystalline Penicillin-10 Lac/ Unit (Inj) | Vial |
| 106 | Crystalline Penicillin-5 Lac/ Unit (Inj) | Vial |
| 107 | Cyclophosphamide (Inj) : 500mg/Vial | Vial |
| 108 | Carboprost (Inj) : 250Mcg/ml-1ml/Amp | Amp |

| | | |
|-----|-------------------------------------------------------------------------------------------|--------|
| 109 | Dicyclomine Hydrochloride (Inj) : 10mg/ml-2ml/Amp | Amp |
| 110 | Dicyclomine Hydrochloride + Paracetamol (Tab) : (20+500)mg | 10's |
| 111 | Disodium Hydrogen Citrate (liquid) : 1.4 g/ 5ml-100ml /Bottels | Bottle |
| 112 | Dexamethasone Sodium Phosphate (Inj) : 4mg/ml -2ml /Vial | Vial |
| 113 | Dexamethasone (eye drop) : 0.01% W/V-5ml/Vial | Vial |
| 114 | Dextrose (Infusion) : 10% -500ml | Bottle |
| 115 | Dextrose (Infusion) : 25 % -100 ml | Bottle |
| 116 | Dextrose.(Infusion) : 5%- 500 ml /Bottle | Bottle |
| 117 | Dextrose with sodium chloride (Infusion) : 5% glucose,0.9% sodium chloride -500ml/Bottle | Bottle |
| 118 | Diazepam (Inj) : 5mg/ml-2ml/Amp | Amp |
| 119 | Diazepam (Tab) : 5mg | 10's |
| 120 | Diclofenac Sod (Tab) : 100 mg (S.R) | 10's |
| 121 | Diclofenac Sod (Tab) : 50mg | 10's |
| 122 | Diclofenac sod (Inj) : 25mg / ml-3ml | Amp |
| 123 | Digoxin(Inj) : 0.5mg/2ml | Amp |
| 124 | Digoxin (Tab) : 0.25mg | 10's |
| 125 | Diloxanide Furoate (Tab) : 500 mg | 10's |
| 126 | Dinoprostone (T : Gel) : 0.5mg-2g/Tube | Tube |
| 127 | Dopamine (Inj) : 200mg/5ml/Amp | Amp |
| 128 | Doxycycline(Tab) : 100mg | 10's |
| 129 | Drotaverine (Inj): 20mg/ml-2ml | Amp |
| 130 | Drotaverine (Tab) : 80mg | 10's |
| 131 | Diclofenac Gel : 1% W/W- 30g / Tube | Tube |
| 132 | Etofyline + Theophyline Hydrate (Tab) : (77mg+23mg) | 10's |
| 133 | Etofyline + Theophyline Hydrate (Inj) : (84.7mg+25.3mg)/ml-2ml | Amp |
| 134 | Etofyline + Theophyline Hydrate (Syr) : (46.5mg+14mg)/5ml-100ml | Bottle |
| 135 | Enalapril (Tab): 2.5mg | 10's |
| 136 | Enalapril (Tab): 5mg | 10's |
| 137 | Erythromycin (Susp): 125 mg/5ml-60ml/Bottle | Bottle |
| 138 | Erythromycin (Tab) : 500 mg | 10's |

| | | |
|-----|--------------------------------------------------------------------------|--------|
| 139 | Erythromycin (Tab) :250 mg | 10's |
| 140 | Ethacridine Lactate (Inj) : 1mg/ml-50ml | Vial |
| 141 | Ethinyle Estradiol (Tab) : 1mg | 10;s |
| 142 | Ethambutol (Tab) : 400mg | 10's |
| 143 | Framycetin (DRESS) : 1% -30 cm | Dress |
| 144 | Fluconazole(Transgel) : 0.5% W/W -15gm/ Tube | Tube |
| 145 | Fluconazole (Tab) : 150mg | 1's |
| 146 | Fluoxetine (Tab) : 20mg | 10's |
| 147 | Fluphenazine (Inj) : 25mg/ml-1ml/Vial | Vial |
| 148 | Folic Acid 15mg, vit B12 0.5mg, Nicotinamide200mg/ml (Inj) : /ml/Amp | Amp |
| 149 | Folic Acid (Tab) : 5mg | 10's |
| 150 | Formaldehyde Lotion : 5 Litres/ Jar | Jar |
| 151 | Framycetin Eye Drops : 5mg/ml-5 ml/Vial | Vial |
| 152 | Furazolidone (Susp): 25mg/5ml-60ml/Bottle | Bottle |
| 153 | Furazolidone (Tab) : 100mg | 10's |
| 154 | Furosemide (Inj): 10 mg/ml-2ml | Amp |
| 155 | Furosemide (Tab) : 40mg | 15's |
| 156 | Fortified Procaine Penicillin (Inj) : 4 Lacs/Vial | Vial |
| 157 | Gamma Benzene Hexachloride 1% W/V, Cetrimide 0.1% W/V(Emulsion) -100ml | Bottle |
| 158 | Gentamicin (injection) : 10mg/ml-2ml | Vial |
| 159 | Gentamicin (injection) : 20mg/ml-2ml | Vial |
| 160 | Gentamicin (injection) : 40mg/ml-2ml | Vial |
| 161 | Gentamicin (Eye/ Ear drop) : 0.3%(W/V)-5ml/Vial | Vial |
| 162 | Glibenclamide (Tab) : 5mg | 10's |
| 163 | Glyceryl Trinitrate (Inj) : 5mg/ml-5ml | Amp |
| 164 | Glyceryl Trinitrate (Tab) : 0.5mg | 30's |
| 165 | Griseofulvin (Tab) :250 mg | 10's |
| 166 | Haloperidol (Inj):5mg/ml-1ml/Amp | Amp |
| 167 | Haloperidol (Tab): 5mg | 10's |
| 168 | Hyoscine Butylbromide(Inj): 20mg/ml-1ml/Amp | Amp |
| 169 | Haloperidol (Tab):10mg | 10's |

| | | |
|-----|------------------------------------------------------------------------------|--------|
| 170 | Halothane : 100%-200ml/Bottle | Bottle |
| 171 | Heparin Sodium (Inj) :1000 IU/ml -5 ml/Vial | Vial |
| 172 | Homatropine Hydrobromide 2% w/v,Chlorbutol 0.5% w/v (Eye Drop)- 5ml/Vial | Vial |
| 173 | Hydrochlorothiazide (Tab): 12.5mg | 10;s |
| 174 | Hydrochlorothiazide (Tab): 25mg | 10;s |
| 175 | Hydrocortisone Acetate (Cream) : 1% W/W-15g/Tube | Tube |
| 176 | Hydrogen Peroxide (H2O2) (Soln): 6% -100 ml/bottle | Bottle |
| 177 | Hydroxy Progesterone Caproate (Inj) : 250mg / ml/Amp | Amp |
| 178 | Hyaluronidase (Inj):1500 I.U/Amp | Amp |
| 179 | Isoxsuprine Hcl (Inj) : 5mg/ml-2ml/Amp | Amp |
| 180 | Isoxsuprine Hcl (Tab) : 20mg | 10;s |
| 181 | Isoxsuprine Hcl (Tab) : 40mg | 10's |
| 182 | Isolyte in 5% Dextrose-500ml(Multi Electrolyte Inj) | Bottle |
| 183 | Ibuprofen (Tab) : 200mg | 10's |
| 184 | Ibuprofen (Tab) : 400mg | 10's |
| 185 | Imipramine (Tab) : 75mg | 10;s |
| 186 | Insulin Rapid (Inj) : 40 i.u/ml-10ml/Vial | Vial |
| 187 | Insulin lente (Inj) : 40i.u/ml-10ml/Vial | Vial |
| 188 | Iron Dextran (Inj) : 50mg elemental iron/ml-2ml/Amp | Amp |
| 189 | Isoniazid (Tab) : 100mg | 10's |
| 190 | Isosorbide Dinitrate (Tab) : 5 mg | 50's |
| 191 | Labetalol (Tab) : 100mg | 10's |
| 192 | Levocetirizine (Tab): 10 mg | 10's |
| 193 | Levocetirizine (Tab): 5mg | 10's |
| 194 | Lignocaine Hydrochloride (Lidocaine) (Inj) : 2%-50ml/Vial | Vial |
| 195 | Lignocaine (Inj) : 4%-30ml/Vial | Vial |
| 196 | Liquid Paraffin : 120 ml/Bottle | Bottle |
| 197 | Lithium (Tab) : 300 mg | 10;s |

| | | |
|-----|----------------------------------------------------------------------------------------------------------------|--------|
| 198 | Lorazepam (Tab) : 2gm | 10's |
| 199 | Miconazole (Cream) : 2% - 15 gm /Tube | Tube |
| 200 | Magnesium Sulphate (Inj) : 50% W/V-10ml | Amp |
| 201 | Mannitol (Infusion) : 20%-100 ml/Bottle | Bottle |
| 202 | Metformin (Tab) : 500mg | 10's |
| 203 | Mebendazole (Susp) : 100mg/5ml-30ml/Bottle | Bottle |
| 204 | Mebendazole (Tab) : 100mg | 6's |
| 205 | Mephentermine (Inj) : 15mg/ml-1ml | Amp |
| 206 | Methotrexate(Inj) : 15mg/ml-3ml/Amp | Amp |
| 207 | Methyl Prednisolone (Inj) : 500mg /Vial | Vial |
| 208 | Methyldopa (Tab) : 250mg | 10's |
| 209 | Methylergometrine (Inj): 0.2mg/ml-1ml | Amp |
| 210 | Methylergometrine (Tab): 0.125mg | 10's |
| 211 | Metoclopramide (inj.) :5mg /ml - 2 ml/ Amp | Amp |
| 212 | Metoclopramide (Tab) : 10mg | 10's |
| 213 | Metoprolol (Tab) : 50mg | 10's |
| 214 | Metronidazole (Injection) : 500 mg in 100 ml/ Bottle | Bottle |
| 215 | Metronidazole (oral liquid): 200mg(as benzonate) /5ml-60ml | Bottle |
| 216 | Metronidazole (Tablet): 200 mg | 10's |
| 217 | Metronidazole (Tablet): 400mg | 10's |
| 218 | Misoprostol (Tab) : 200 mcg | 4's |
| 219 | Nalidixic Acid (Syp) : 300mg/5ml-60ml/ Bottle | Bottle |
| 220 | Neomycin Sulphate 5mg, Bacitracin 250 u, Sulpha-cetamide 30mg. So. Sulphacetamide 36mg per g (Oint) : 15g/Tube | Tube |
| 221 | Nifedipine (Tab) : 10mg | 10's |
| 222 | Nifedipine (Tab) : 20mg | 10's |
| 223 | Nifedipine (Tab) : 30mg | 10's |
| 224 | Nitrofurantoin (Tab): 50mg | 10's |
| 225 | Norfloxacin (Tab): 200mg | 10's |
| 226 | Nitrofurural (Oint) : 0.2%-20 gm/Tube | Tube |
| 227 | Nitroglycerine (Oint) : 2%-30gm/Tube | Tube |
| 228 | Norfloxacin (Tab): 400mg | 10's |

| | | |
|-----|------------------------------------------------------------------------|--------|
| 229 | Norethisterone (Tab) : 5mg | 10's |
| 230 | Omeprazole (Cap) : 20 mg | 10's |
| 231 | Ofloxacin (Tab): 200mg | 10's |
| 232 | Olanzapine (Tab) : 5mg | 10's |
| 233 | Ondansetron (Tab): 4mg | 10's |
| 234 | Ondansetron (Syrup) : 2mg /5ml-30ml | Bottle |
| 235 | Oral Rehydration Powder 27.5 G | Pakts |
| 236 | Oxytocin (Inj) : 5 IU/ml-1ml/Amp | Amp |
| 237 | Phenytoin (Inj): 50mg/ml-2ml | Amp |
| 238 | Paracetamol (Inj) : 150mg/ml-2ml | Amp |
| 239 | Paracetamol (Syrup) :125mg/5ml-60ml | Bottle |
| 240 | Paracetamol (Tablet) : 500mg | 10's |
| 241 | Pancuronium Bromide (Inj) : 2mg/ml-2ml | Amp |
| 242 | Pefloxacin (Tab) : 400mg | 10's |
| 243 | Pentazocine (Inj) : 30mg/ml-1ml/Amp | Amp |
| 244 | Pethidine Hydrochloride (Inj) : 50mg/ml-1ml/Amp | Amp |
| 245 | Pheniramine Maleate (Inj) :22.75mg/ml-2ml/Amp | Amp |
| 246 | Phenobarbitone (Inj) : 200mg/1ml/Amp | Amp |
| 247 | Phenobarbitone (Tab) : 60mg | 10's |
| 248 | Phenylephrine Hcl 10% W/V, Chlorbutol 0.5% W/V (Eye Drops) - 5ml/Vial | Vial |
| 249 | Phenytoin Sodium (Inj) : 50mg/ml-2ml/Amp | Amp |
| 250 | Pilocarpine (Eye Drop) : 1% W/V-5ml | Vial |
| 251 | Pilocarpine (Eye Drop) : 2% W/V -5ml | Vial |
| 252 | Pilocarpine (Eye Drop) : 4% W/V -5ml | Vial |
| 253 | Piperazine citrate (Syp) : 750mg/5ml-30ml/ Bottle | Bottle |
| 254 | Piperazine citrate (Tab) : 500mg | 10's |
| 255 | Piroxicam (Tab) : 20mg | 10's |
| 256 | Povidone Iodine Vaginal (Pess) : 200mg | 10's |
| 257 | Povidone Iodine (Solution) : 5% W/V-100ml | Bottle |
| 258 | Povidone Iodine (Solution) : 5% W/V-500ml | Bottle |
| 259 | Povidone Iodine (Gargle) : 2 % W/V-100ml | Bottle |
| 260 | Prednisolone (Tablet) : 5 mg | 10's |
| 261 | Prochlorperazine (Inj) : 12.5mg/ml/ Amp | Amp |

| | | |
|-----|----------------------------------------------------------------------|--------|
| 262 | Promethazine (Syp) : 5mg/5ml-100ml/Bottle | Bottle |
| 263 | Promethazine (Inj): 25mg/2ml/Amp | Amp |
| 264 | Propranolol (Tab) : 20mg | 10's |
| 265 | Propranolol (Tab) : 40mg | 10's |
| 266 | Pyrantel Pamoate (Syp) : 250mg/5ml-10ml /Bottle | Bottle |
| 267 | Pyrazinamide (Tab) : 500mg | 10's |
| 268 | Pyrazinamide (Tab) : 750mg | 10's |
| 269 | Pyridoxine Hcl (Inj) : 100mg/ ml-1ml/Amp | Amp |
| 270 | Potassium Chloride 10% (Inj) : 100mg/ml-10ml/Amp | Amp |
| 271 | Ranitidine (inj) : 25mg/ml (As hydrochloride) in 2ml /Amp | Amp |
| 272 | Ranitidine (Tab) : 150 mg | 10's |
| 273 | Riboflavin (Cap) : 100 mg | 100's |
| 274 | Rifampicin (Cap) : 150mg | 10's |
| 275 | Rifampicin (Cap) : 300mg | 10's |
| 276 | Rifampicin (Cap) : 450mg | 10's |
| 277 | Rifampicin (Cap) : 600mg | 3's |
| 278 | Ringer Lactate (Infusion) : 500ml/ Bottle | Bottle |
| 279 | Risperidone (Tab) : 2mg | 10's |
| 280 | Ritodrine Hcl (Tab) : 10mg | 10's |
| 281 | Ritodrine Hcl (Inj) : 10 mg/ ml-5ml/Amp | Amp |
| 282 | Sulfamethoxazole + Trimethoprim(Susp) : (200+40)mg/5ml-50ml/Bottle | Bottle |
| 283 | Salicylic Acid (Oint) : 12% W/W-25g/Tube | Tube |
| 284 | Salbutamol (Tab) : 2mg | 10's |
| 285 | Salbutamol (Tab) : 4mg | 10's |
| 286 | Salbutamol + Ambroxol Hcl(Syp): (1+15) mg/5ml-100ml/Bottle | Bottle |
| 287 | Silver Sulfadiazine (cream) : 1% W/W -25g/Tube | Tube |
| 288 | Silver Sulfadiazine (cream) : 1% W/W- 250gm/Jar | Jar |
| 289 | Silver sulfadiazine (cream) : 1% W/W -500gm/Jar | Jar |
| 290 | Sodium Bicarbonate (Inj) : 8.4%-50ml/Vial | Vial |
| 291 | Sodium Chloride (Infusion):- 0.9% -500ml | Bottle |
| 292 | Framycetin (Eye Drop) : 5mg/ml-5ml/Vial | Vial |
| 293 | Framycetin -1% (Cream) : 30 gm / Tube | Tube |
| 294 | Stilboesterol (Tab) : 1 mg | 10;s |
| 295 | Streptokinase (Powder for inj): 750000 IU in vial | Vial |
| 296 | Streptokinase (Powder for inj): 1500000 IU in vial | Vial |
| 297 | Sulfacetamide (Eye/ Ear Drop) : 10%-10ml/ Vial | Vial |
| 298 | Sulfamethoxazole+ Trimethoprim (Tablet) : (400mg +80mg) S S | 10's |
| 299 | Tryptophan (Cap) : 100mg | 10;s |
| 300 | Tryptophan (Cap) : 50mg | 10;s |

| | | |
|-----|--------------------------------------------------------------------------------|--------|
| 301 | Timolol (Eye Drop) : 0.5% W/V-5ml/Vial | Vial |
| 302 | Terbutaline (Inj) : 0.5mg/ml-1ml/Amp | Amp |
| 303 | Testosterone Enantate (Inj) : 100mg/ml-1ml/Amp | Amp |
| 304 | Testosterone Undecanoate (Cap) : 40mg | 10's |
| 305 | Tetracycline-250mg (Cap) | 10's |
| 306 | Thyroxine Sodium (Tab) : 50 mcg | 100's |
| 307 | Thyroxine Sodium (Tab) : 100 mcg | 100's |
| 308 | Tinidazole (Tab) : 300 mg | 10's |
| 309 | Tinidazole (Tab) : 500 mg | 10's |
| 310 | Tolbutamide (Tab) : 500mg | 10's |
| 311 | Tranexamic Acid (Inj) : 500mg/5ml-5ml/Amp | Amp |
| 312 | Tranexamic Acid (Tab) : 500mg | 10's |
| 313 | Triamcinolone (oint) :0.1%-15g/Tube | Tube |
| 314 | Trifluoperazine Hcl- 5mg, Trihexyphenidyl Hcl-2mg (Tab) | 10's |
| 315 | Tropicamide 0.8%W/V, Phenylephrine Hcl 5% W/V (Eye Drop) -5ml/Vial | Vial |
| 316 | Valdecoxib (Tab) : 10 mg | 10's |
| 317 | Valdecoxib (Tab) : 40mg | 10's |
| 318 | Valethamate Bromide (Inj) : 8mg/ml-1ml/Amp | Amp |
| 319 | Verapamil (Tab) : 40mg | 10's |
| 320 | Vit -A 5000 IU, Vit -D 400 IU (Softgels) -250Softgels/Bottle | 250's |
| 321 | Vit D-3 60000 IU , Cap | 4's |
| 322 | Vit K (Acetomenaphthone) (Inj) -1ml/Amp | Amp |
| 323 | Vitamin A Palmitate (Inj) : 50,000 USP Units/ml (15mg/ml retinol)-2ml /Amp | Amp |
| 324 | Vitamin A Soutlion (Vit. A Concentrate oil I.P 1,00,000 I.U/MI)-100 ml/Bottle | Bottle |
| 325 | Vitamin A (Tab) : 10000 IU | 10's |
| 326 | Vitamin B. Complex : 100 ml (Syrup) | Bottle |
| 327 | Water for inj: 10 ml (plastic) | Amp |
| 328 | Water for inj : 5 ml (plastic) | Amp |
| 329 | Warfarin (Tab) : 5 mg | 10;s |
| 330 | Warfarin (Tab) : 3 mg | 10;s |
| 331 | Xylometazoline Hydrochloride (Nasal drop) : 0.05% (W/V) 10 ml/ Vial | Vial |

Annexure –V

List of Essential Drugs required for General Hospital /TRIHMS For the F.Y 2020-21(approved vide order No. MSUP-1/2019-20, Dated,28th Nov/2019 and No.MSUP-9/2019-20, Dated-Naharlagun the 19th January'2021)

| SL.NO | Name of the Drugs | Unit |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 1 | Acebrophylline (cap) : 100 mg | 10's |
| 2 | Aceclofenac (Tab): 200mg | 10's |
| 3 | Aceclofenac + Paracetamol (Tab): 100mg+ 500mg | 10's |
| 4 | Acenocoumarol (Tab) : 2mg | 10's |
| 5 | Acetyl Salicylic acid (Tablet) :100mg | 14's |
| 6 | Acetylcysteine (Tab) : 600mg | 10's |
| 7 | Aciclovir (Tab) : 200mg | 10's |
| 8 | Adenosine (Inj) : 3mg/ml-2ml | Amp |
| 9 | Al(OH) ₃ -830mg/10ml, Mg(OH) ₂ 185mg, simethicone-50mg, Na Carboxymethylcellulose-100mg-170ml/Bottle (Antacid Gel) | Bottle |
| 10 | Albendazole (Susp): 200mg/5ml-10ml | Bottle |
| 11 | Albumin (Human) (Inj) : 20% -100ml/Bottle | Bottle |
| 12 | Alfacalcidol (cap) : 0.25 mcg | 10's |
| 13 | Allopurinol (Tab) : 100mg | 10's |
| 14 | Alprazolam (Tab) : 0.25mg | 10's |
| 15 | Amikacin (Powder for injection) :100 mg-2ml | Vial |
| 16 | Amikacin (Powder for injection) :250 mg-2ml | Vial |
| 17 | Amikacin (Powder for injection) :500 mg-2ml | Vial |
| 18 | Aminophylline (Inj) : 250 mg/2ml-10ml | Amp |
| 19 | Amiodarone (Inj) : 50mg/ml -3ml | Amp |
| 20 | Amlodipine + Atenolol (Tab) : (5+ 50) mg | 10's |
| 21 | Amlodipine (Tab): 5mg | 10's |
| 22 | Amoxicillin (Cap) : 250mg | 10's |
| 23 | Amoxicillin (Cap) : 500 mg | 10's |
| 24 | Amoxicillin + Clavulanate K (Dry Syrup) : 125 + 31.25mg/5ml-30ml / Bottle | Bottle |
| 25 | Amoxicillin 500mg + Clavulanic Acid-125mg (Tab) | 10's |
| 26 | Amoxicillin + Cloxacillin (Cap) : (250+250)mg | 10's |
| 27 | Amoxicillin -500mg, Clavulanic Acid as Potassium-100mg, Inj/Vial | Vial |
| 28 | Antirabies immunoglobulin (human) (inj) : 150 IU in vial | Vial |

| | | |
|----|---------------------------------------------------------------------------------------------------------------|-----------------|
| 29 | Antitetanus immunoglobulin (human) inj : 500 IU in vial | Vial |
| 30 | Antivenon immunoglobulin (human) inj. : 10ml/Vial | Vial |
| 31 | Ascorbic acid (Tab) :500mg | 10's |
| 32 | Atenolol (Tab): 25 mg | 10's |
| 33 | Atenolol (Tab): 50mg | 10's |
| 34 | Atorvastatin(Tab) : 20mg | 10's |
| 35 | Atracurium Besilate (Inj): 10mg/ml-2.5ml | Amp |
| 36 | Atropine (Inj) : 0.6mg/ml-10ml | Vial |
| 37 | Azithromycin (Tab) : 250 mg | 3's |
| 38 | Azithromycin (Tab) : 500 mg | 3's |
| 39 | Baclofen (Tab) : 10mg | 10's |
| 40 | Betahistine (Tab): 16mg | 10's |
| 41 | Bisoprolol (Tab) : 5mg | 10's |
| 42 | Bleomycin (Inj) : 15mg /Vial | Vial |
| 43 | Budesonide + Formoterol (R- Cap) : (200mcg + 6mcg) | 30's |
| 44 | Bupivacaine Hcl (Inj): 0.5%-4ml/Amp | Amp |
| 45 | Calamine (lotion) : 8% W/V -100 ml/Bottle | Bottle |
| 46 | Calcium Citrate-500mg, Vit. D 3 100 IU (Tab) | 10's |
| 47 | Calcium Lactate (Non- Dairy Calcium Supplement-250mg Calcium, 50 mg magnesium) (Vegetarian-330 Tabs) : 300mg | 330 Tabs/Bottle |
| 48 | Calcium Carbonate (Tab): 500mg | 30's |
| 49 | Calcium Gluconate (Inj): 10% W/V -10ml | Amp |
| 50 | Capecitabine (Tab) : 500mg | 10's |
| 51 | Carbamazepine (Tab) : 200mg | 10's |
| 52 | Carbamazepine (Tab) : 300mg | 10's |
| 53 | Carbamazepine (Tab) : 400mg | 10's |
| 54 | Carbimazole (Tab) : 5mg | 100's |
| 55 | Cetirizine (Syrup) : 5 mg/5ml-30ml/Bottle | Bottle |
| 56 | Carboplatin (Inj) : 150mg/15ml/ Vial | Vial |
| 57 | Carboplatin (Inj) : 450mg/45ml/Vial | Vial |
| 58 | Carvedilol (Tab) : 6.25 mg | 10's |
| 59 | Carvedilol (Tab) : 3.125mg | 10's |
| 60 | Cefadroxil (Tab): 500mg | 10's |
| 61 | Cefixime (Dry Syrup) : 50mg/5ml-30ml/Bottle | Bottle |
| 62 | Cefixime (Tab) : 100 mg | 10's |
| 63 | Cefixime (Tab) : 200 mg | 10's |
| 64 | Cefixime (Tab) : 400 mg | 10's |

| | | |
|----|---------------------------------------------------------------------|--------|
| 65 | Cefixime + Ofloxacin (Tab) : (200mg+200mg) | 10's |
| 66 | Cefotaxime (powder for injection: 500 mg per vial (as sodium asalt) | Vial |
| 67 | Cefpodoxime (Syrup) : 50mg/5ml-30ml | Bottle |
| 68 | Cefpodoxime(Tab) : 200mg | 10's |
| 69 | Ceftazidime + Tazobactam (Inj) : 1.125mg | Vial |
| 70 | Ceftazidime + Tazobactam Na (Inj) : (250mg+31.25mg) | Vial |
| 71 | Ceftazidime + Tazobactam(Inj) : (500mg + 62.5mg) | Vial |
| 72 | Ceftazidime (Inj) : 1g | Vial |
| 73 | Ceftazidime (Inj) : 250mg | Vial |
| 74 | Ceftazidime (Inj) : 500mg | Vial |
| 75 | Ceftriaxone + Tazobactam (Inj) : (1000 mg +0.125g)/Vial | Vial |
| 76 | Ceftriaxone + Tazobactam (Inj) : (250mg +31.25mg)/ Vial | Vial |
| 77 | Ceftriaxone + Tazobactam (Inj) : (500mg +62.5mg)/vial | Vial |
| 78 | Ceftriaxone 1g, Sulbactam 0.5g (Inj) | Vial |
| 79 | Ceftriaxone (powder for injectin) : 125mg in vial | Vial |
| 80 | Ceftriaxone (powder for injection) :1g (as sodium) in vial | Vial |
| 81 | Cefuroxime (Tab): 500mg | 10's |
| 82 | Cetirizine (Tab) : 10mg | 10's |
| 83 | Childern Cough Syp : (Paed)-60ml / Bottle | Bottle |
| 84 | Chloramphenicol (Eye Drop) : 1% -5ml /Vial | Vial |
| 85 | Chloramphenicol Eye applicable (50 Cap Per Bottle) | Bottle |
| 86 | Chlorhexidine (Mouth Wash) : 0.2% W/V - 150ml/Bottle | Bottle |
| 87 | Ciprofloxacin + Tinidazole (Tab) : (500+600) mg | 10's |
| 88 | Ciprofloxacin Hcl (E/E) Drop : 0.3% W/V-5ml/Vial | Vial |
| 89 | Ciprofloxacin (Inj) : 2mg/ml-100ml/Bottle | Bottle |
| 90 | Ciprofloxacin (Tab) : 500mg | 10's |
| 91 | Cisplatin (Inj) : 0.5mg/ml-20ml /Vial | Vial |
| 92 | Cisplatin (Inj) : 1mg/ml-50ml/Vial | Vial |
| 93 | Citicoline (Tab) : 500mg | 10's |
| 94 | Citicoline-500mg + Piracetam -800mg (Tab) | 10's |
| 95 | Clarithromycin (Tab) : 500mg | 4's |

| | | |
|-----|------------------------------------------------------------------------------------------|--------|
| 96 | Clindamycin (Cap) : 300mg | 8's |
| 97 | Clindamycin (Inj) : 150 mg/ml-2ml/Amp | Amp |
| 98 | Clopidogrel (Tab) : 75mg | 10's |
| 99 | Clotrimazole (vaginal cream) :1% (W/W)-15 g/Tube | Tube |
| 100 | Clotrimazole (vaginal Tab) :100mg | 6's |
| 101 | Clotrimazole (vaginal Tab) :200mg | 3's |
| 102 | Cough Expectarant (Adult) : 100ml / Bottle | Bottle |
| 103 | Cyclophosphamide (Inj) : 1gm /Vial | Vial |
| 104 | Cyclophosphamide (Inj) : 200mg /vial | Vial |
| 105 | Cyclophosphamide (Inj) : 500 mg /Vial | Vial |
| 106 | Cytarabine (Inj) : 500mg /5ml-5ml/Vial | Vial |
| 107 | Cytarabine(Inj) : 100mg /ml-1ml/Amp | Amp |
| 108 | Dacarbazine (Inj) : 200mg /Vial | Vial |
| 109 | Dactinomycin (Inj) : 0.5mg / Vial | Vial |
| 110 | Daunorubicin Hcl (Inj) : 20mg/Vial | Vial |
| 111 | Deflazacort (Tab) : 18mg | 10's |
| 112 | Deflazacort (Tab) : 6mg | 6's |
| 113 | Dettol : 5 litres/ Jar | Jar |
| 114 | Dettol : 500ml /Bottel | Bottle |
| 115 | Dexamethasone Sodium Phosphate (inj) : 4mg/ml -2ml/vial | Vial |
| 116 | Dextrose (Infusion) : 10% -500ml/Bottle | Bottle |
| 117 | Dextrose (Infusion) : 25% -100ml/Bottle | Bottle |
| 118 | Dextrose (Infusion) : 25% -500ml/bottle | Bottle |
| 119 | Dextrose (Infusion) : 5% -500ml/Bottle | Bottle |
| 120 | Dextrose with sodium chloride (Infusion) :5% glucose,0.9% sodium chloride -500ml/Bottle | Bottle |
| 121 | Diazepam (Tab) : 5mg | 10's |
| 122 | Diazepam (Inj) : 5mg/ml-2ml/Amp | Amp |
| 123 | Diclofenac Gel : 1% W/W 30g / Tube | Tube |
| 124 | Diclofenac Sod (Tab) : 50mg | 10's |
| 125 | Diclofenac sod (Inj) : 25mg/ml-3ml/Amp | Amp |
| 126 | Dicyclomine HCL (Inj):10mg/ml-2ml/Amp | Amp |
| 127 | Digoxin(Inj) : 0.5mg/2ml/Amp | Amp |
| 128 | Digoxin(Tab) : 0.25mg | 10's |
| 129 | Diltiazem (Tab) : 30 mg | 10's |
| 130 | Diltiazem-25mg /5ml/Amp (Inj) | Amp |
| 131 | Disulfiram (Tab) : 250mg | 10's |
| 132 | Dobutamine (Inj): 50mg / ml -5 ml/Vial | Vial |
| 133 | Docetaxel (Inj) : 120mg /3ml /Vial | Vial |
| 134 | Docetaxel (Inj) : 20 mg /0.5ml/Vial | Vial |

| | | |
|-----|-----------------------------------------------------------------------|--------|
| 135 | Docetaxel Inj) : 80 mg /2ml/Vial | Vial |
| 136 | Domperidone (Susp): 1mg/ml-30ml/Bottle | Bottle |
| 137 | Domperidone (Tab): 10mg | 10's |
| 138 | Dopamine (inj): 40mg/ml- 5ml/Amp | Amp |
| 139 | Doxofylline (Tab) : 400 mg | 10's |
| 140 | Doxorubicin(Inj) : 2mg/ml-25ml/Vial | Vial |
| 141 | Doxorubicin(Inj) : 2mg/ml-5ml/Vial | Vial |
| 142 | Doxycycline(Tab) : 100mg | 10's |
| 143 | Drotaverine (Tab) : 80mg | 10's |
| 144 | Enalapril (Inj) : 1.25mg/ml-1ml/Amp | Amp |
| 145 | Enalapril (Tab) : 2.5mg | 10's |
| 146 | Enalapril (Tab) : 5mg | 10's |
| 147 | Enoxaparin Sodium (Inj) : 60mg/0.6ml / Amp | Amp |
| 148 | Epirubicin (Inj) : 10mg /Vial | Vial |
| 149 | Epirubicin (inj) : 50mg /Vial | Vial |
| 150 | Erlotinib (Tab) : 100 mg | 30's |
| 151 | Erlotinib (Tab) : 150mg | 30's |
| 152 | Esomeprazole (Tab) : 40mg | 10's |
| 153 | Etamsylate (Tab) : 500mg | 10's |
| 154 | Etamsylate (Inj): 125mg/ml-2ml/Amp | Amp |
| 155 | Etofyline + Theophyline Hydrate (Inj) : (84.7mg+25.3mg)/ml-2ml | Amp |
| 156 | Etofyline + Theophyline Hydrate (Syr) : (46.5mg+14mg)/5ml-100ml | Bottle |
| 157 | Etofyline + Theophyline Hydrate (Tab) : (77mg+23mg) | 10's |
| 158 | Etoposide(Inj) : 20mg/ml-5ml/Amp | Amp |
| 159 | Fluorouracil (Inj) : USP 250 mg /5ml/Vial | Vial |
| 160 | Fluorouracil (Inj) : USP 500 mg /10ml/Vial | Vial |
| 161 | Famciclovir (Tab) : 250mg | 10's |
| 162 | Febuxostat- (Tab): 40mg | 10's |
| 163 | Ferric Carboxymaltose (Inj) : 50mg/ml /Amp | Amp |
| 164 | Fexofenadine (Tab) : 120mg | 10's |
| 165 | Fluconazole (Tab) : 150mg | 1's |
| 166 | Fluoxetine (Tab) : 20mg | 10's |
| 167 | Fluticasone (Nasal Spy) : 50mcg/Puff-120md | Vial |
| 168 | Folic Acid (Tab) : 5mg | 10's |
| 169 | Folic Acid 15mg, vit B12 0.5mg, Nicotinamide200mg/ml (Inj) : /ml/Amp | Amp |
| 170 | Formaldehyde Lotion : 5 Litres/ Jar | Jar |
| 171 | Fosphenytion Sodium USP (Inj) : -2ml/Vial | Vial |

| | | |
|-----|---------------------------------------------------------------|--------|
| 172 | Furosemide 20 mg+ Spironolactone 50mg (Tab) | 10's |
| 173 | Furosemide (Inj) : 10mg/ml in 2ml / Amp | Amp |
| 174 | Furosemide (Tab) : 40mg | 10's |
| 175 | Fusidic acid cream : -2 % W/W -10g / Tube | Tube |
| 176 | Gefitinib (Tab) : 250mg | 30's |
| 177 | Gemcitabine Hcl (Inj) : 1 gm /Vial | Vial |
| 178 | Gemcitabine Hcl (Inj) : 200mg | Vial |
| 179 | Gentamicin (injection) : 10mg/ml-2ml | Vial |
| 180 | Gentamicin (injection) : 20mg/ml-2ml | Vial |
| 181 | Gentamicin (injection) : 40mg/ml-2ml | Vial |
| 182 | Gentamicin Solu. (Eye/ Ear drop) : 0.3% W/V-5ml | Vial |
| 183 | Gliclazide (Tab) : 80mg | 10's |
| 184 | Gliclazide- 80mg + Metformin-500mg (Tab) | 10's |
| 185 | Glimepiride (Tab) : 1mg | 10's |
| 186 | Glimepiride (Tab) : 2 mg | 10's |
| 187 | Glimepiride -1mg + Metformin -500mg (Tab) | 10's |
| 188 | Glycopyrrolate (Inj) : 0.2mg/ml-1ml /Amp | Amp |
| 189 | Haemaccel (Inj): 500ml/Bottle | Bottle |
| 190 | Haemocoagulase (Inj) : 1ml | Amp |
| 191 | Heparin Sodium (Inj) :1000 IU/ml -5ml/Vial | Vial |
| 192 | Human Hepatitis B Immunoglobulin (Inj) : 200 I.U/ml-1ml/Vial | Vial |
| 193 | Hydrocortisone (Inj): 100mg/ Vial | Vial |
| 194 | Hydrogen Peroxide (H2O2) (Soln):100 ml | Bottle |
| 195 | IFA (Fe fumarate 304 mg, Folic Acid 0.5mg) (Tab) (Large) | 30's |
| 196 | IFA (Fe fumarate 152mg, Folic Acid 1500mcg)(Tab) (Small) | 15's |
| 197 | Isolyte - M (Multi Electrolyte Inj) : 1000 ml/Bottle | Bottle |
| 198 | Isolyte - P (Multi Electrolyte Inj) : 500ml/Bottle | Bottle |
| 199 | Isolyte -S (Multi Electrolyte Inj) : 500ml/Bottle | Bottle |
| 200 | Ibandronic Acid (Tab) : 150mg | 10's |
| 201 | Ibuprofen (Tab): 400mg | 10's |
| 202 | Ibuprofen + Paracetamol (Tab) : (400+325)mg | 10's |
| 203 | Ifosfamide (Inj) : 1g / Vial | Vial |
| 204 | Ifosfamide (Inj) : 2 g / Vial | Vial |
| 205 | Imatinib (Tab) : 400mg | 10's |

| | | |
|-----|-------------------------------------------------------------|--------|
| 206 | Imipenem With Cilastatin(Inj): (250+250) mg /Vial | Vial |
| 207 | Imipenem With Cilastatin(Inj): (500+500) mg /Vial | Vial |
| 208 | Indomethacin (SR. Cap) : 75mg | 10's |
| 209 | Irinotecan (Inj) : 20mg/ml-5ml / Vial | Vial |
| 210 | Isosorbide Dinitrate (Tab) : 5 mg | 50's |
| 211 | Itraconazole (Cap) : 100 mg | 4's |
| 212 | Ivermectin (Tab) : 12 mg | 1's |
| 213 | Ivermectin (Tab) : 6 mg | 1's |
| 214 | Labetalol (Tab) : 100mg | 10's |
| 215 | Labetalol (Inj) : 20mg/4ml/Vial | Vial |
| 216 | Lactulose (Syrup) : 10g/15ml-100ml/Bottle | Bottle |
| 217 | Leucovorin (Inj) : 50 mg / Vial | Vial |
| 218 | Leucovorin (Inj) : 15mg /Vial | Vial |
| 219 | Levocetirizine + Montelukast (Tab) : (5mg+ 10mg) | 10's |
| 220 | Levocetirizine (Tab) : 5mg | 10's |
| 221 | Levofloxacin (Inf) : 500mg/100ml-100ml/Bottle | Bottle |
| 222 | Levofloxacin (Tab) : 500mg | 10's |
| 223 | Lignocaine (Inj) : 4%-30ml/Vial | Vial |
| 224 | Lignocaine Hydrochloride (Lidocaine) (Inj) : 2%-50ml/Vial | Vial |
| 225 | Lorazepam (Inj): 2mg/ml-2ml | Amp |
| 226 | Lidocaine (Ointment): 5% W/W - 20 gm/Tube | Tube |
| 227 | Losartan (Tab) : 50mg | 10's |
| 228 | Magnesium Sulphate (Inj) : 50% W/V-10ml | Amp |
| 229 | Mannitol (infusion) : 20%-350ml/Bottle | Bottle |
| 230 | Mebendazole(Tab) : 100mg | 6's |
| 231 | Mephentermine (Inj) : 15mg/ml-1ml | Amp |
| 232 | Meropenem (Inj) : 500mg /Vial | Vial |
| 233 | Meropenem (Inj) : 1000mg /Vial | Vial |
| 234 | Metformin (Tab) : 500mg | 10's |
| 235 | Methotrexate (Inj) : 15mg / 2ml/Amp | Amp |
| 236 | Methotrexate (Inj) : 50 mg /2ml/Amp | Amp |
| 237 | Methotrexate (Tab) : 7.5mg | 10's |
| 238 | Methylethergometrine (Inj): 0.2mg/ml-1ml | Amp |
| 239 | Metoclopramide Hydrochloride(Syrup) : 5mg/5ml-30ml/Bottle | Bottle |
| 240 | Metoclopramide (Tab) : 10mg | 10's |
| 241 | Metoclopramide (inj.) : 5mg /ml in 2-ml /Amp | Amp |
| 242 | Metoprolol (Inj) : 1mg/ml -5ml/Amp | Amp |

| | | |
|-----|---------------------------------------------------------------|--------|
| 243 | Metoprolol (Tab) : 50mg | 10's |
| 244 | Metronidazole (injection) : 500 mg in 100-ml / Bottle | Bottle |
| 245 | Metronidazole (oral liquid): 200mg(as benzonate) /5ml-60ml | Bottle |
| 246 | Metronidazole (Tab) : 400mg | 10's |
| 247 | Metronidazole (Tab) : 200 mg | 10's |
| 248 | Metronidazole +Diloxanide Furoate (Tab) : (400+500)mg | 10's |
| 249 | Metronidazole+Norfloxacin (Susp) : (100+100) Mg/5ml-60ml | Bottle |
| 250 | Miconazole (Cream) : 2% -15g/ Tube | Tube |
| 251 | Montelukast (Tab) : 5mg | 10's |
| 252 | Morphine Sulphate (Inj): 10mg/ml-1ml | Amp |
| 253 | Moxifloxacin (Inf) : 400mg /100ml/ Bottle | Bottle |
| 254 | Moxifloxacin (Tab): 400mg | 5's |
| 255 | Moxifloxacin (Eye Drop) : 0.5% W/V-5ml/vial | Vial |
| 256 | Mupirocin (ointment) : 2% W/W -5g / Tube | Tube |
| 257 | Naloxone Hcl (inj) : 0.4mg/ml-1ml/Amp/ml | Amp |
| 258 | Neostigmine Metilsulfate and Glycopyrrolate -0.5mg/ml-1ml/Amp | Amp |
| 259 | Neostigmine (inj) : 0.5mg/ml-1ml | Amp |
| 260 | Netilmicin (Inj) : 25mg/ml-1ml | Vial |
| 261 | Netilmicin (Inj) : 300mg/3ml | Vial |
| 262 | Netilmicin (Inj) : 50mg/ml-1ml | Vial |
| 263 | Nifedipine (Capsule) : 10mg | 10's |
| 264 | Nifedipine (Capsule) : 5mg | 10's |
| 265 | Norfloxacin (Tab) : 400mg | 10's |
| 266 | Octreotide (Inj) : 100 mcg / ml-1ml | Amp |
| 267 | Ofloxacin (Tab): 200mg | 10's |
| 268 | Ofloxacin (Inj) : 2mg/ml-100ml | Bottle |
| 269 | Ofloxacin + Ornidazole (Susp) : (50+125)mg/5ml-30ml/Botle | Bottle |
| 270 | Ofloxacin + Ornidazole (Tab): (200+500) mg | 10's |
| 271 | Ofloxacin + Tinidazole (Tab): (200+600) mg | 10's |
| 272 | Olmesartan (Tab) : 40mg | 10's |
| 273 | Omeprazole (Cap): 20mg | 10's |
| 274 | Omeprazole + Domperidone (Tab) : (20+ 10) mg | 10's |
| 275 | Ondansetron (Inj): 2mg/ml-2ml/Amp | Amp |
| 276 | Ondansetron (Tab): 4 mg | 10's |
| 277 | Oral Rehydration Powder 27.5 G | Pakts |

| | | |
|-----|---------------------------------------------------------|--------|
| 278 | Ornidazole (Tab) : 500 mg | 10's |
| 279 | Ornidazole 500mg (Inj) : 100ml / Bottle | Bottle |
| 280 | Oxaliplatin (Inj) : 100mg /vial | Vial |
| 281 | Oxaliplatin (Inj) : 50 mg /vial | Vial |
| 282 | Oxytocin (inj) : 5 IU / ml-1ml / Amp | Amp |
| 283 | Paclitaxel (Inj) : 100 mg /16.7ml/Vial | Vial |
| 284 | Paclitaxel(Inj) : 260 mg /43.4ml/Vial | Vial |
| 285 | Pantoprazole (Inj): 40mg/ Vial | Vial |
| 286 | Pantoprazole (Tab) : 40mg | 10's |
| 287 | Pantoprazole + Domperidone (Tab): (40+10) mg | 10's |
| 288 | Paracetamol (Inj) :150mg/ml-2ml | Amp |
| 289 | Paracetamol (Syrup) : 125mg / 5ml-60ml | Bottle |
| 290 | Paracetamol (Tab) : 500mg | 10's |
| 291 | Paracetamol + Ibuprofen (Syp):(162.5mg+100)mg/5ml-60ml | Bottle |
| 292 | Pemetrexed (Inj) : 100 mg /Vial | Vial |
| 293 | Pemetrexed (Inj) : 500mg /Vial | Vial |
| 294 | Pentazocine (Inj): 30mg / ml-1ml | Amp |
| 295 | Permethrin (Ointment) : 5% W/W -30g/ Tube | Tube |
| 296 | Pethidine Hydrochloride (Inj): 50mg/ml/Amp | Amp |
| 297 | Phenobarbitone (Inj) : 200mg/1ml/Amp | Amp |
| 298 | Phenytoin Sodium (Inj) : 50mg/ml-2ml/Amp | Amp |
| 299 | Phenytoin Sodium (Tab) : 100 mg | 100's |
| 300 | Pioglitazone(Tab) : 30mg | 10's |
| 301 | Piperacillin + Tazobactam (Inj) : (2 g+0.25g) / Vial | Vial |
| 302 | Piperacillin + Tazobactam (Inj) : (4g+0.5g) / Vial | Vial |
| 303 | Piroxicam (Tab) : 20mg | 10's |
| 304 | Potassium Chloride 10% (Inj): 100mg / ml-10ml/Amp | Amp |
| 305 | Povidone Iodine (Ointment) : 5% W/W 15 g/Tube | Tube |
| 306 | Povidone Iodine (Solution) : 5% W/V-100ml/Bottle | Bottle |
| 307 | Povidone Iodine (Solution) : 5% W/V-500ml/Bottle | Bottle |
| 308 | Prednisolone (Tab) : 5 mg | 10's |
| 309 | Pregabalin (Cap) : 150 mg | 10's |
| 310 | Pregabalin (Cap) : 75mg | 10's |
| 311 | Prochlorperazine (Tab) : 5mg | 10's |

| | | |
|-----|---------------------------------------------------------------------|--------|
| 312 | Promethazine (Inj): 25mg/2ml/Amp | Amp |
| 313 | Propofol (Inj) : 10mg/ml-20ml/Vial | Vial |
| 314 | Propranolol (Tab) : 20mg | 10's |
| 315 | Propranolol (Tab) : 40mg | 10's |
| 316 | Rabeprazole (Tab) : 20mg | 10's |
| 317 | Rabeprazole (Inj) : 20mg / Vial | Vial |
| 318 | Ramipril (Tab) : 5mg | 10's |
| 319 | Ranitidine (inj) : 25mg/ml (as hydrochloride) in 2ml | Amp |
| 320 | Ranitidine (Tab) : 150mg | 10's |
| 321 | Rifaximin (Tab) : 550mg | 10's |
| 322 | Ringer Lactate (Infusion): 500ml/Bottle | Bottle |
| 323 | Rituximab (Inj) : 500 mg / Vial | Vial |
| 324 | Rituximab(Inj) : 100mg / Vial | Vial |
| 325 | Salbutamol + Ambroxol Hcl(Syp) : (1+15) mg / 5ml-100ml | Bottle |
| 326 | Savlon (Liquied) : 5 Litres / Jar | Jar |
| 327 | Silver Sulfadiazine (Cream) : 1% -W/W-250 gm /Jar | Jar |
| 328 | Silver Sulfadiazine (Cream):1% -W/W-25 g/Tube | Tube |
| 329 | Simvastatin (Tab) : 20mg | 10's |
| 330 | Sodium Bicarbonate (Inj) : 8.4%-50ml/Vial | Vial |
| 331 | Sodium Chloride (Infusion)) : 0.9% -100ml/Bottle | Bottle |
| 332 | Sodium Chloride (Infusion)) : 0.9% -500ml/Bottle | Bottle |
| 333 | Sorafenib (Tab) : 200mg | 20's |
| 334 | Spironolactone (Tab) : 25mg | 15's |
| 335 | Streptokinase (Powder for inj): 1500000 milliom IU in vial | Vial |
| 336 | Succinylcholine Chloride (Inj): 50mg/ml-2ml | Amp |
| 337 | Sucralfate (Syrup) : 1 gm / 5ml - 100ml / Bottle | Bottle |
| 338 | Sulfamethoxazole+ Trimethoprim (Susp) : (200+40)mg/5ml-50ml/Bottle | Bottle |
| 339 | Sulfamethoxazole+ Trimethoprim (Tablet) : (800mg +160mg) , D.S | 10's |
| 340 | Sulfasalazine (Tab) : 500mg | 10's |
| 341 | Trypsin Chymotrypsin (Tab) : 100000 u | 10's |
| 342 | Telmisartan (Tab) : 40mg | 10's |
| 343 | Telmisartan plus Hydrochlorothiazide (Tab) : 40mg+12.5mg | 10's |
| 344 | Terbinafine (Tab) : 250 mg | 10's |
| 345 | Thiopentone Sodium (Inj): 500mg/ Vial | vial |

| | | |
|-----|--------------------------------------------------------------------------------|--------|
| 346 | Tinidazole-(Infusion) -800mg/400ml/Bottle | Bottle |
| 347 | Torasemide (Tab) : 10mg | 10's |
| 348 | Tramadol (Cap): 50mg | 10's |
| 349 | Tramadol Hcl (Inj) : 50mg/ml-1ml | Amp |
| 350 | Tranexamic Acid (Inj) : 500mg / 5ml-5ml/Amp | Amp |
| 351 | Trastuzumab (Inj) : 440mg /50ml/Vial | Vial |
| 352 | Triamcinolone Acetonide (Inj) : 10mg/ ml/Amp | Amp |
| 353 | Triamcinolone Acetonide (Inj) : 40mg /ml/Amp | Amp |
| 354 | Urokinase (Inj) : 500000 IU/Vial | Vial |
| 355 | Ursodeoxycholic Acid (Tab) : 300mg | 10's |
| 356 | Vecuronium Bromide (Inj) : 4mg/1ml | Amp |
| 357 | Verapamil (Inj) : 5mg/2ml/Amp | Amp |
| 358 | Verapamil (Tab) : 40mg | 10's |
| 359 | Vincristine Sulfate (Inj) : 1mg /ml-1ml/Amp | Amp |
| 360 | Vit -A 5000 IU, Vit -D 400 IU (Softgels) -250Softgels/Bottle | 250's |
| 361 | Vit D-3 60000 IU , Cap | 4's |
| 362 | Vit K (Acetomenaphthone) (Inj) -1ml/Amp | Amp |
| 363 | Vitamin A Palmitate (Inj) : 50,000 USP Units/ml (15mg/ml retinol)-2ml /Amp | Amp |
| 364 | Vitamin A (Tab) : 10000 IU | 10's |
| 365 | Vitamin A Soltion (Vit. A Concentrate oil I.P 1,00,000 I.U/MI)-100ml/Bottle | Bottle |
| 366 | Vitamin B. Complex : 100 ml (Syrup) | Bottle |
| 367 | Vitamin -D (Inj) : 30000 I.U / ml / Amp | Amp |
| 368 | Vitamin -D (Inj) : 60000 I.U / ml / Amp | Amp |
| 369 | Vitamin -E (SG.Cap) : 400 mg | 10's |
| 370 | Vitamin -E (SG.Cap) : 200 mg | 10's |
| 371 | Voglibose (Tab) : 0.2mg | 10's |
| 372 | Voglibose (Tab) : 0.3mg | 10's |
| 373 | Water for Injection : 5 ml (Plastic) | Amp |
| 374 | Warfarin Sod (Tab) : 5 mg | 10's |
| 375 | Warfarin Sod (Tab) : 1mg | 10's |
| 376 | Warfarin Sod (Tab) : 3mg | 10's |
| 377 | Xylocaine with Adrenaline (Inj) : 2%- 30ml/Vial | Vial |
| 378 | Xylometazoline Hydrochloride (Nasal drop) : 0.05% (W/V)-10 ml/Vial | Vial |

| ESSENTIAL DRUG LIST (Revised) FOR HWC-Sub Centre | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-----------------------------------------------------|
| Sr. No. | Name of Medicine | Dosage Type |
| General anaesthetic and oxygen | | |
| 1 | Oxygen | Inhalation (Medicinal gas) |
| Local anaesthetics | | |
| 2 | Lignocaine | Topical forms 2-5% |
| Analgesics, antipyretics, non steroidal anti inflammatory medicines, medicines used to treat gout and disease modifying agents used in rheumatoid disorders | | |
| 3 | Diclofenac | Tablet 50 mg |
| 4 | Inj Diclofenac | Injection 75 mg/ml |
| 5 | Paracetamol | Tablet 500 mg |
| | | Tablet 650 mg |
| | | All licensed oral liquid dosage forms and strengths |
| Anti allergic and medicines used in anaphylaxis | | |
| 6 | Cetirizine | Syrup |
| | | Tablet 10 mg |
| 7 | Chlorpheniramine | Tablet 4 mg |
| | | Oral liquid 2 mg/5 ml |
| Intestinal anti helminthes | | |
| 8 | Albendazole | Tablet 400 mg |
| | | Syrup |
| 9 | Diethylcarbamazin (Antifilarial) | Tablet 50 mg |
| | | Tablet 100 mg |
| Anti bacterial | | |
| 10 | Ciprofloxacin | Tablet 250 mg |
| | | Tablet 500 mg |
| 11 | Gentamicin | Injection 10 mg/ml |
| | | Injection 40 mg/ml |
| Sr. No. | Name of Medicine | Dosage Type |
| 12 | Metronidazole | Tablet 200 mg |
| | | Tablet 400 mg |
| | | Capsule 250 mg |
| | | Syrup |
| | | Infusion |
| | | Ointment |
| 13 | Amoxicillin | Capsule 500 mg |
| 14 | | Oral liquid 250 mg/5 ml |
| Anti-fungal medicines | | |
| 15 | Fluconazole | Tablet 150 mg |
| Anti- Malarial | | |
| 16 | Chloroquine | Tab 150 mg |
| 17 | Primaquine | Tablet 2.5 mg |

| | | |
|------------------------------------|---------------------------------------------------------------------|---------------------------------------------------------------------|
| | | Tablet 7.5 mg |
| | | Tablet 15 mg |
| 18 | Artesunate (A) + Sulphadoxine – Pyrimethamine (B). Combi pack (A+B) | 1 Tablet 25 mg (A) + 1 Tablet (250 mg + 12.5 mg) (B) |
| | | 1 Tablet 50 mg (A) + 1 Tablet(500 mg + 25 mg) (B) |
| | | 1 Tablet 100 mg (A) + 1 Tablet(750 mg + 37.5 mg) (B) |
| | | 1 Tablet 150 mg (A) + 2 Tablet(500 mg + 25 mg) (B) |
| | | 1 Tablet 200 mg (A) + 2 Tablet(750 mg + 37.5 mg) (B) |
| Anemia | | |
| 19 | Ferrous salts | Tablet equivalent to 60 mg of elemental iron |
| | | Oral liquid equivalent to 25 mg of elemental iron/ml |
| 20 | Ferrous salt (A) + Folic acid (B) | Tablet 45mg elemental iron (A) +400 mcg (B) |
| | | Tablet 100 mg elemental iron (A) + 500 mcg (B) |
| | | Oral liquid 20 mg elemental iron (A) + 100 mcg (B)/ml |
| 21 | Folic acid | Tablet 5 mg |
| Dermatological medicines (Topical) | | |
| 22 | Clotrimazole | Cream 1% |
| 23 | Methylrosanilinium chloride (Gentian Violet) | Topical preparation 0.25% to 2% |
| 24 | Povidone iodine | Solution 4% to 10% |
| 25 | Silver sulphadiazine | Cream 1% |
| 26 | Framycetin | Cream 0.5% |
| Disinfectants and antiseptics | | |
| 27 | Ethyl alcohol (Denatured) | Solution 70% |
| 28 | Hydrogen peroxide | Solution 6% |
| 29 | Methylrosanilinium chloride (Gentian Violet) | Topical preparation 0.25% to 2% |
| 30 | Povidone iodine | Solution 4% to 10% |
| 31 | Bleaching powder | Containing not less than 30% w/w of available chlorine (as per I.P) |
| 32 | Potassium permanganate | Crystals for topical solution |
| 33 | Lysol Disinfectant Solution | |
| Sr. No. | Name of Medicine | Dosage Type |
| Gastrointestinal medicines | | |
| 34 | Ranitidine | Tablet 150 mg, Injection |
| 35 | Domperidone | Tablet 10 mg, Dispersable Tablet |
| 36 | Dicyclomine | Tablet 10 mg |
| 37 | Oral rehydration salts | As licensed |
| 38 | Zinc sulphate | Syrup |
| | | Dispersible Tablet 20 mg, Syrup |
| Contraceptives | | |
| 39 | Ethinylestradiol (A) + Norethisterone | Tablet 0.035 mg (A) + 1 mg (B) |

| | | |
|------------------------------------------------------|------------------------------------------------|--------------------------------------------------------------------------------------|
| 40 | IUD containing Copper | As licensed |
| 41 | Condom | As per the standards prescribed in Schedule R of Drugs and Cosmetics rules, 1945 |
| 42 | Ethinylestradiol | Tablet 0.01 mg Tablet 0.05 mg |
| 43 | Levonorgestrel | Tablet 0.75 mg |
| Anti-infective medicine | | |
| 44 | Ciprofloxacin | Drops 0.3 % Ointment 0.3% |
| 45 | Tetanus Toxoid (Recommended by the board) | |
| Oxytocics and antioxytocics | | |
| 46 | Methylegometrine | Tablet 0.125 mg |
| 47 | Misoprostol | Tablet 100 mcg |
| Solutions correcting water, electrolyte disturbances | | |
| 48 | Water for Injection | Injection |
| Vitamins and minerals | | |
| 49 | Ascorbic acid (Vitamin C) | Tablet 100 mg |
| 50 | Cholecalciferol | Tablet 1000 IU Tablet 60000 IU Oral liquid 400 IU/ml |
| 51 | Vitamin A | Capsule 5000 IU Capsule 50000 IU Capsule 100000 IU Oral liquid 100000 IU/ml |
| 52 | Phytomenadione (Vitamin K1) | Injection 10 mg/ml |
| Additional medicines* | | |
| Antidotes and other substances used in poisoning | | |
| 53 | Activated charcoal | Powder (as licensed) |
| 54 | Atropine | Injection 1 mg/ml |
| 55 | Snake venom antiserum & Lyophilized Polyvalent | a) Injection + Powder for Injection |
| 56 | Pralidoxime chloride (2-PAM) | Injection 25 mg/ml |
| Sr. No. | Name of Medicine | Dosage Type |
| Analgesics | | |
| 57 | Acetylsalicylic Acid | Tablet 75mg & 325 mg Effervescent/ Dispersible/ Enteric |

| | | |
|--------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| | | Coated Tablet 300 mg to 500 mg |
| 58 | Ibuprofen | Tablet 200 mg |
| | | Tablet 400 mg |
| | | Oral liquid 100 mg/5 ml |
| 59 | Mefenamic acid | Capsule 250 mg |
| | | Capsule 500 mg |
| Ear, nose and throat medicines | | |
| 60 | Ciprofloxacin | Drops 0.3 % |
| 61 | Clotrimazole | Drops 1% |
| 62 | Normal Saline nasal drops : sodium chloride | Drops 05% w/v |
| 63 | Xylometazoline nasal drops | pediatric (0.05%), adult (.1%) |
| 64 | Wax-solvent ear drops : benzocaine, chlorbutol, paradichlorobenzene, turpentine oil | |
| 65 | Combo ear drops | (Chloramphenicol (5% w/v) + Clotrimazole (1%)+ Lignocaine hydrochloride (2%) |
| 66 | Liquid paraffin – menthol drops | (Menthol 10gm+Eucalyptus 2ml+Camphor 10gm+Liquid paraffin to 100ml) |
| Emergency Medicine Kit | | |
| 67 | Inj Adrenaline | |
| 68 | Inj Hydrocortisone | |
| 69 | Inj Dexamethasone | |
| 70 | Glyceryl Trinitrate Sublingual Tablet | Tablet 0.5 mg |
| 71 | Acetylsalicylic Acid | 325 mg |
| 72 | Clopidogrel | 150 mg |
| | | |
| 73 | Normal Saline (N.S) | 0.9% |
| 74 | Dextrose | 5% |
| 75 | Normal Saline 500 ML | |
| 76 | Ringer Lactate 500 ML | |
| NCD Drugs | | |

| Antihypertensive medicines | | |
|-----------------------------------------------------|---------------------------------------------|----------------------|
| 77 | Amlodipine | Tablet 2.5 mg |
| | | Tablet 5 mg |
| | | Tablet 10 mg |
| 78 | Atenolol | Tablet 50 mg |
| | | Tablet 25 mg |
| 79 | Enalapril | Tablet 2.5 mg |
| | | Tablet 5 mg |
| 80 | Propranolol | Tablet 40 mg |
| | | Tablet 10 mg |
| Cardiovascular medicines (Medicines used in angina) | | |
| 81 | Isosorbide dinitrate | Tablet 5 mg |
| | | Tablet 10 mg |
| 82 | Clopidogrel | Tablet 75 mg |
| Diuretics | | |
| 83 | Furosemide | Tablet 40 mg |
| | | Injection 20 mg |
| | | Oral liquid 10 mg/ml |
| 84 | Hydrochlorothiazide | Tablet 25 mg |
| 85 | Spironolactone | Tablet 25 mg |
| | | Tablet 50 mg |
| Antidiabetic | | |
| 86 | Glimepiride | Tablet 1 mg |
| | | Tablet 2 mg |
| 87 | Insulin (Soluble) | Injection 40 IU/ml |
| 88 | Intermediate Acting (NPH) Insulin | Injection 40 IU/ml |
| 89 | Premix Insulin30:70 Injection (Regular:NPH) | Injection 40 IU/ml |
| 90 | Metformin | Tablet 500 mg |
| | | Tablet 750 mg |

| | | |
|------------------------------------------------------------------------|-----------------------|-----------------------------------------------------------------------------------|
| | | Tablet 1000 mg-SR |
| Anticonvulsants/antiepileptic | | |
| 91 | Carbamazepine | Tablet 100 mg |
| 92 | Diazepam | Injection 10mg |
| | | Oral liquid 2 mg (5 ml) |
| 93 | Phenobarbitone | Tablet 30 mg & Tablet 60 mg |
| | | Oral liquid 20 mg/5 ml |
| 94 | Phenytoin | Tablet 50 mg |
| | | Tablet 100 mg |
| | | ER Tablet 300 mg |
| 95 | Inj Phenytoin | Injection 25 mg/ml |
| 96 | Sodium valproate | Tablet 200 mg |
| | | Tablet 500 mg |
| CoPD | | |
| 97 | Salbutamol | Tablet 2 mg |
| | | Tablet 4 mg |
| | | Levosulbutamol Respules |
| | | Ipratropium Bromide respules |
| | | Inhalation (MDI/DPI) 100 mcg/dose(To follow protocol if Nebulizer not available) |
| CONSUMABLES (In Addition to the already existing list of Consummables) | | |
| 1 | IV sets | |
| 2 | IV cannula (All Size) | |
| 3 | Splints | |
| 4 | Gloves | |
| 5 | Cotton | |